

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyrighted, 1889, by Munn & Co.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXI.—No. 24.
ESTABLISHED 1845.

NEW YORK, DECEMBER 14, 1889.

[\$3.00 A YEAR.
WEEKLY.]


THE NEW CHICAGO WATER WORKS—THE LAKE TUNNEL, INTAKES, AND CAISSONS.

Chicago has long been noted for its water works, drawing their supply from the inexhaustible reservoir of Lake Michigan. They have been termed one of the wonders of the world. On March 17, 1864, the work began on a tunnel to be carried out two miles into the lake in order to secure a pure supply. On December 6, 1866, the tunnel was finished, and water was first furnished to the city through it on March 25, 1867. The

original tunnel was in brick, 62 inches high and 60 inches wide, lying from 66 to 70 feet below the surface of the water. As Chicago lies nearly on a plain, all city levels are referred to this point, the surface of the lake. It forms a plane of reference, and is termed the city datum. At the end of the tunnel a grated cylinder of iron was established, through which the water enters the tunnel. This intake, for further protection, was surrounded by a crib and breakwater. Subsequently a second tunnel, 84 inches in diameter, carried out to the

same crib, was extended under the city, so as to give an independent supply to the southwestern quarter. The original pumping engines had a daily capacity of 72,000,000 gallons. The original tunnel could deliver 57,000,000 gallons in the same time. In addition to the lake supply of water, a number of artesian wells have been sunk, at depths varying from 650 to nearly 2,000 feet. The water from these wells is not of the purest, containing 70 grains of solid matter to the gal-

(Continued on page 372.)



THE NEW CHICAGO WATER WORKS—THE LAKE TUNNEL, INTAKES, AND CAISSONS.

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year, for the U. S. or Canada.....\$3 00
 One copy, six months, for the U. S. or Canada.....1 50
 One copy, one year, to any foreign country belonging to Postal Union, 4 00
 Remit by postal or express money order.

Australia and New Zealand.—Those who desire to receive the SCIENTIFIC AMERICAN, for a little over one year, may remit \$1 in current Colonial bank notes. Address

MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

The Scientific American Supplement

Is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, for U. S. and Canada. \$6.00 a year to foreign countries belonging to the Postal Union. Single copies, 10 cents. Sold by all newsdealers throughout the country.

Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to any address in U. S. or Canada, on receipt of seven dollars.

The safest way to remit is by draft, postal order, express money order, or registered letter.

Australia and New Zealand.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for a little over one year on receipt of \$1 in current Colonial bank notes.

Address MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

NEW YORK, SATURDAY, DECEMBER 14, 1889.

Contents.

(Illustrated articles are marked with an asterisk.)

Antiseptic, new.....	372	Inventions, mechanical.....	373
Appliances, railway.....	378	Inventions, miscellaneous.....	373
Attachment, unloading, Harshman's.....	370	Journey, Stanley.....	369
Attachment, sanding, Bates'.....	370	Lighthouses, American.....	369
Basins, fresh water, for navy yards.....	373	Minecane, Virginia.....	377
Beaver, the.....	371	Moles, removal of.....	370
Building, house, West.....	369	Notes and queries.....	375
Caissons, Chicago water works.....	367	Photography, feat in.....	372
Case, ticket, Hart's.....	372	Projectile, flying, photographing.....	372
Chimney, tallest yet.....	372	Recovery, sulphur.....	371
City of Paris, steamer.....	368	Requirements, naval.....	373
Deposits, niter.....	371	Rutherford, Lewis Morris.....	375
Device, dumping, Wilson's.....	370	Scientific American, Edicion Espanola.....	368
Drill, seed, Genung's.....	370	Strength, Ericsson's physical.....	368
Falls, Niagara, utilizing.....	370	Telephone, bipolar.....	374
Forbes, Robert B.....	369	Telephone, simple, how to make.....	374
Fountain, luminous, plan.....	377	Telephone, simple, in use.....	375
Fountains, luminous, Paris.....	375	Tunnel, Chicago water works.....	373
Invention, gas.....	373	Vibrations by falling water.....	373
Inventions, engineering.....	375	Water jets, illumination.....	377
Inventions, index of.....	375	Whale breaks a cable.....	369
		Works, water, Chicago.....	367, 372

TABLE OF CONTENTS OF SCIENTIFIC AMERICAN SUPPLEMENT No. 728.

For the Week Ending December 14, 1889.

Price 10 cents. For sale by all newsdealers.

I. BIOGRAPHY.—Dr. J. P. Joule, F.R.S.—Biographical note of the life of the eminent investigator, with portrait.—1 illustration.....	11622
II. CHEMISTRY.—A substitute for Klipp's Apparatus.—By EUSTACE THOMPSON.—A simple and efficient apparatus for supplying a continuous and steady stream of carbonic acid or other gas.—1 illustration.....	11634
III. CIVIL ENGINEERING.—The Nicaragua Canal.—A vivid and graphic description of the present condition of the work in Nicaragua.—The healthfulness of the region, its appearance, the buildings and plants so far established, and other interesting details.....	11625
IV. ELECTRICITY.—Cost of Electric Arc Lights.—An investigation by Commissioner Raymond of Washington into the relative cost of electrical and gas lighting, with a very full table of contract prices in different cities for electric lighting.....	11629
Electricity in the Engine Room.—A very simple and popular account of electricity and of its production by dynamos.—Adapted to the comprehension of all.—15 illustrations.....	11630
New Electric Radiation Meter.—A simple electric meter for use in investigating the Hertz phenomena, and a method of driving tuning forks electrically.—3 illustrations.....	11631
Storage Batteries at the Paris Exhibition.—By A. and F. RECKENBAUM.—The different types of storage batteries exhibited in Paris.—A valuable resume of the present status of the art.—4 illustrations.....	11631
V. GEOGRAPHY.—Santiago, Chile.—Note of the great city of the South American republic, with statistics and view of the Mapocho River bridge.—1 illustration.....	11635
The Vintage at Maqui, Chile.—A further description of characteristic Chilean life in its vineyards.—2 illustrations.....	11634
VI. MECHANICAL ENGINEERING.—A New Recording Pressure Gauge.—By W. H. BRISTOL.—A new instrument fundamentally simple, reliable, and of low cost.—2 illustrations.....	11628
Calculation of Springs.—By F. REULEAUX.—A very elaborate table of tests upon material furnished by the Pennsylvania Railroad, including springs of various forms and material.....	11628
VII. MISCELLANEOUS.—Close of the Great Exhibition.—The last cannon from the Eiffel tower.—The last gun fired at a height of 963 feet from the ground upon the Eiffel tower, to signalize the close of the Paris exposition at midnight, November 6, 1889.....	11624
Conjuring Tricks, and How to Make Them.—Simple and interesting experiments in natural magic fully described and illustrated.—5 illustrations.....	11625
The Physiology of Good and Evil.—By BENJAMIN WARD RICHARDSON, M.D.—A very eloquent exposition of the relation between physical condition and psychical phenomena and the relations of health and morality.....	11624
VIII. NAVAL ENGINEERING.—H. M. S. Inflexible.—A first class armored turret battle ship, one of the participants in the bombardment of the forts at Alexandria in 1882, its general dimensions, armor, and present status in the navy.—3 illustrations.....	11627
The New Steamer Friesland.—A recent addition to the Red Star Line; the full dimensions and general data of the ship.....	11627
IX. PHYSICS.—Instruments for Measuring Radiant Heat.—By C. V. BOYS.—The fourth lecture of this very important series, devoted largely to thermo-electric battery and to the famous bolometer with which Professor Langley's researches in radiant energy were conducted.....	11622
X. TECHNOLOGY.—New Drawing Tools.—New and interesting modifications of existing instruments for drawing evenly spaced parallel lines, ellipses and other curves.—2 illustrations.....	11629

THE SCIENTIFIC AMERICAN—EDICION ESPAÑOLA.

In view of the enlarging commercial relations between the United States and the republics south of us, we have concluded to publish a regular edition of the SCIENTIFIC AMERICAN in the Spanish language, of which the first number will be issued in January, and thereafter monthly until a more frequent publication is required.

This beautiful tongue prevails throughout all the vast territories of Cuba, the Spanish West Indies, Mexico, Honduras, Guatemala, Nicaragua, San Salvador, Costa Rica, the United States of Colombia, the United States of Venezuela, Ecuador, Peru, Bolivia, Chile, the Argentine Republic, Paraguay, Uruguay, and in part in the United States of Brazil—seventeen great countries, all enjoying with us the republican forms of government, allied to us by all the ties of neighborhood and political affinity, having in common with us the attainment of the same great objects, the promotion of industry, peace, and prosperity.

The States of Mexico, now provided with railways and joined to the vast railway system of this country, are already beginning to experience important benefits from this new connection. The industries of Mexico are commencing to flourish with a new vigor, her political and financial standing is becoming solidified, her population is increasing, and in all directions are seen the evidences of substantial improvement. The Tehuantepec railway and the canal of Nicaragua, from ocean to ocean, are now in process of construction. The railways are being extended southward through Mexico toward Panama, and from Chile and the Argentine northward toward Bogota. All parts of America, North and South, will soon be joined together by iron highways, over which vast exchanges of passengers and products will be maintained.

Including the Americas, North and South, Cuba, Spain, and her colonial possessions, the Spanish-speaking peoples of the world number in the aggregate not less than seventy-five millions, and the landed area by them occupied reaches nine millions of square miles.

To all these peoples, printed in their own language, will the SCIENTIFIC AMERICAN go with its messages of knowledge and instruction. While for convenience of preparation its point of issue is in New York, its real home will be among the Spanish people wherever they dwell. Devoted to the spread of useful information, it will be welcome everywhere. By the facilities of the Postal Union, it can be received with almost the same regularity, and at as low a cost, as if it were printed in the town where the subscriber resides.

The first or introductory number of the SCIENTIFIC AMERICAN, Edicion Española, will have a great and unusually valuable circulation. Special copies are to be sent to influential persons in the principal towns and cities of all the countries above named, including the leading importing merchants, manufacturers and dealers in all kinds of machinery, to government officials, naval and military, railway directors, superintendents and master mechanics, civil, mechanical, and mining engineers, owners and superintendents of mines, millers and machinists, wood workers, steam users, steam engineers, telegraph and electrical engineers, planters, etc. Leading people in the various branches of industry likely to be interested in the productions of American mechanical and manufacturing skill will be reached by this publication. Printed at the low rate of \$3 a year, it will have by far the largest and most substantial circulation ever given in Spanish countries to such a periodical.

We shall reserve a limited space for the publication of manufacturing announcements, for which the terms will be very moderate. We need hardly say this opportunity for advertisers to make their productions known and thereby increase their foreign trade is a rare one. Advertisements intended for the first number should be sent in without delay.

ERICSSON'S PHYSICAL STRENGTH.

It is well known that the late Capt. Ericsson was of robust constitution and remarkable power of enduring continuous sedentary application; but it is not so well known that he was possessed of enormous physical strength. Of this he was not vain, nor was it often exerted; he husbanded his resources with jealous care, with a view to their expenditure in useful work. In one or two instances, however, his muscular power was displayed in a startling manner.

He was always very particular about the quality of both materials and workmanship, and on one occasion during the construction of an engine at Delamater's, a certain casting appearing to him doubtful as to soundness, he ordered it to be broken up. And possibly suspecting that blowholes might be plugged, or the suspected piece made to do duty in some way, he insisted on having it broken on the spot. Some stalwart workmen accordingly attacked it with heavy two-handed sledges, but, failing to make an impression, they desisted at length, saying: "We will put it under the drop by and by." His quick temper rose at this, but he spoke not a word; with his right hand he snatched the sledge from the nearest man, and in an instant it whirled like a meteor before the eyes of the

astonished spectators, the ponderous tool driving its head at the first stroke through the shell of the dubious casting, making it a hopeless wreck. He tossed away the sledge as if it had been a jackstraw, and turning on his heel, strode away with the remark: "Now you may put it under the drop."

During one of his visits of inspection to the Monitor while she was building, he was annoyed by tripping once or twice over a heavy bar of iron. Turning to two workmen near at hand, he asked them to remove it; but they said it was too heavy. Nettled at this refusal, and as if in contempt for the excuse, he made no reply, but stooping, he picked up the bar with his own hands, carried it without assistance across the shop, and threw it on a scrap heap. The two men were amazed, as well they might be, to see a single man, already nearly sixty years of age, dealing in this summary way with a matter which they had not ventured to meddle with; they procured some assistance at noon time, and out of curiosity weighed the offending bar, which showed upon the scale nearly a third of a ton.

In the summer of 1871, the captain, accompanied by his secretary, on nearly every fine day used to cross the river to Hoboken, and take a stroll up around the "river walk," past the Sibyl's cave, and through the then pleasant, park-like region of the Elysian Fields. This exception to the rules of his ordinary daily routine was in accordance with the advice of his physician, who had been called in on account of certain pains in the small of his back, from which he had been suffering. And it is mentioned in this connection because Capt. Ericsson himself had been speculating upon the causes of these symptoms, which he persisted in attributing to the circumstance of over-exertion in his youth, particularly on one occasion when, at the age of 18, he had lifted six hundred pounds, thereby, as he thought, straining the muscles and laying the foundation for his trouble, though he had experienced no previous ill effect.

A Whale Breaks a Submarine Telegraph Cable.

On September 9th a fault broke out in the Santos-Santa Catharina section of the Western and Brazilian Telegraph Company's system of cables, but through which signals were exchanged up to the moment of cutting by the repairing steamer Viking. The latter, while engaged on the repair on October 17, picking up toward the fault in 57 fathoms, and about 70 miles north from Santa Catharina, brought to the surface a monster dead whale, measuring about 50 feet long, intact, with the exception of the upper part (the belly), from which all the skin had been worn or eaten away, leaving only a small portion on the neck and tail; the cable parted at the fault with the strain put upon it in lifting, and the carcass of the whale being relieved of the downward pressure, rose like a torpedo and inflated like a balloon, a portion on arriving at the surface of the water bursting and creating a most offensive odor, so that every one was thankful when the cable was cut, and the obnoxious object drifted to leeward; the tail of the whale had two complete turns round the shank and three or four across the flat or fan part. It would be interesting to know how long this creature had been thus imprisoned; from the advanced stage of decomposition it must have been there some considerable time; its body was covered with barnacles, and some even on the white part, where the skin had disappeared.

It is worthy of note that this cable was laid in 1874, and with the exception of one repair by the contractors in 1875, has never since been touched, and is as perfect as the day it was laid.

The above by Mr. Peters, of the Viking, is the third instance in which whales have broken telegraph cables. The first occurred in the Persian Gulf some fifteen years ago, and the second on the west coast of America, off the Peruvian coast, some seven years since. In both cases the whale was dead when brought to the surface by the repairing vessel, and was entangled in the cable. The supposed cause is that the cables were hung in festoons through being laid too tightly over uneven ground, and that the whales used them as rubbing posts to get rid of some of the barnacles with which their bodies are often covered. A swish of the tail can easily account for the cable being twisted round the body, and the weight and the struggles of the animal can easily account for the break. We are inclined to think the weight of the dead decomposing body is more likely to break the suspended bight than the swimming strength of the whale, which compared to the longitudinal strength of a cable must be a small matter. The peculiarity of the case off the Brazilian coast lies in the cable not being broken.—*Electrical Review.*

The steamer City of Paris, of the Inman line, plying between New York and Liverpool, is of 10,500 tons burden, 18,000 horse power, and has maintained a mean speed of 23.73 miles per hour throughout the voyage of about 3,000 miles. She has 54 furnaces, and her boiler tubes exceed 13 miles in aggregate length.

Stanley's Thrilling Record of African Exploration.

Henry M. Stanley, at the head of his exploration and relief expedition, which started up the Congo, on the West African coast, in March, 1887, arrived at Bago-moyo, near Zanzibar, on the east coast, Dec. 4, with Emin Pasha and his principal lieutenants and a considerable number of followers. The day following a serious, if not fatal, accident occurred to Emin, who, being near-sighted, misjudged the height of a balcony in a building where he was being banqueted, and fell a distance of twenty feet. This seems strikingly like a continuance of the fatalism or providence which Stanley appears to think has been a dominant factor with him throughout his last expedition, as set forth in his own words in the following thrilling record of peril, adventure, suffering, and endurance, which comes by cable to the *New York Herald*. He says:

First of all I am in perfect health, and feel like a laborer of a Saturday evening returning home with his week's work done, his week's wages in his pocket, and glad that to-morrow is the Sabbath.

Just about three years ago, while lecturing in New England, a message came from under the sea bidding me to hasten and take possession to relieve Emin Pasha at Wadelai; but, as I am generally do with faithful pack-horses, numberless little trifles, odds and ends, are piled on over and above the proper burden. Twenty various little commissions were added to the principal one, each requiring due care and thought. Well, looking back over what has been accomplished, I see no reason for any heart's discontent. We can say we shirked no task, and that good will, aided by steady effort, enabled us to complete every little job as well as circumstances permitted.

Over and above the happy ending of our appointed duties we have not been unfortunate in geographical discoveries. The Aruwimi is now known from its source to its bourne. The great Congo forest, covering as large an area as France and the Iberian peninsula, we can now certify to be an absolute fact. The Mountains of the Moon this time, beyond the least doubt, have been located, and Ruwenzori, "the Cloud King," robed in eternal snow, has been seen, and its flanks explored, and some of its shoulders ascended, Mounts Gordon Bennett and Mackinnon cones being but giant sentries warding off the approach to the inner area of "the Cloud King." On the southeast of the range the connection between Albert Edward Nyanza and the Albert Nyanza has been discovered, and the extent of the former lake is now known for the first time. Range after range of mountains has been traversed, separated by such tracts of pasture land as would make your cowboys out West mad with envy. And right under the burning equator we have fed on blackberries and bilberries and quenched our thirst with crystal water fresh from snow beds. We have also been able to add nearly 6,000 square miles of water to Victoria Nyanza.

Our naturalist will expatiate upon the new species of animals, birds, and plants he has discovered. Our surgeon will tell what he knows of the climate and its amenities. It will take us all we know how to say what new store of knowledge has been gathered from this unexpected field of discoveries. I always suspected that in the central regions between the equatorial lakes something worth seeing would be found, but I was not prepared for such a harvest of new facts.

This has certainly been the most extraordinary expedition I have ever led into Africa. A veritable divinity seems to have hedged us while we journeyed. I say it with all reverence. It has impelled us whither it would, effected its own will, but nevertheless guided and protected us. What can you make of this, for instance? August 17, 1887, all the officers of the rear column are united at Yambuya. They have my letter of instructions before them, but instead of preparing for the morrow's march, to follow our track, they decided to wait at Yambuya, which decision initiates the most awful season any community of men ever endured in Africa or elsewhere. The results are that three-quarters of their force died of slow poison. Their commander is murdered, and the second officer dies soon after of sickness and grief. Another officer is wasted to a skeleton and obliged to return home. A fourth is sent to wander aimlessly up and down the Congo, and the survivor is found in such a fearful pest hole that we dare not describe its horrors.

On the same date, 150 miles away, the officer of the day leads 333 men of the advanced column into the bush, loses the path and all consciousness of his whereabouts, and every step he takes only leads him further astray. His people become frantic; his white companions, vexed and irritated by the sense of the evil around them, cannot devise any expedient to relieve him. They are surrounded by cannibals, and poison-tipped arrows thin their numbers. Meantime, I, in command of the river column, am anxiously searching up and down the river in four different directions; through forests my scouts are seeking for them, but not until the sixth day was I successful in finding them.

Taking the same month and the same date in 1888, a year later, on August 17, I listen, horror struck, to the tale of the last surviving officer of the rear column at Banalya, and am told of nothing but death and disaster,

disaster and death, death and disaster. I see nothing but horrible forms of men smitten with disease, bloated, disfigured, and scarred, while the scene in the camp, infamous for the murder of poor Barttelot barely four weeks before, is simply sickening. On the same day, 600 miles west of this camp, Jameson, worn out with fatigue, sickness, and sorrow, breathes his last.

On the next day, August 18, 600 miles east, Emin Pasha and my officer, Jephson, are suddenly surrounded by infuriated rebels, who menace them with loaded rifles and instant death, but fortunately they relent and only make them prisoners, to be delivered to the Mahdists. Having saved Bonny out of the jaws of death, we arrive a second time at Albert Nyanza, to find Emin Pasha and Jephson prisoners in daily expectation of their doom.

Jephson's own letters will describe his anxiety. Not until both were in my camp and the Egyptian fugitives under our protection did I begin to see that I was only carrying out a higher plan than mine. My own designs were constantly frustrated by unhappy circumstances. I endeavored to steer my course as direct as possible, but there was an unaccountable influence at the helm.

I gave as much good will to my duties as the strictest honor would compel. My faith that the purity of my motive deserved success was firm, but I have been conscious that the issues of every effort were in other hands. Not one officer who was with me will forget the miseries he has endured, yet every one that started from his home destined to march with the advance column and share its wonderful adventures is here to-day safe, sound, and well, and the *Herald* correspondent may interview them to his heart's content. This is not due to me. Lieut. Stairs was pierced with a poisoned arrow like others, but others died, and he lives. The poisoned tip came out from under his heart eighteen months after he was pierced. Jephson was four months a prisoner, with guards with loaded rifles around him. That they did not murder him is not due to me.

These officers have had to wade through as many as seventeen streams and broad expanses of mud and swamp in a day. They have endured a sun that scorched whatever it touched. A multitude of impediments have ruffled their tempers and harassed their hours. They have been maddened with the agonies of fierce fevers. They have lived for months in an atmosphere that medical authority declared to be deadly. They have faced dangers every day, and their diet has been all through what legal serfs would have declared to be infamous and abominable, and yet they live.

This is not due to me any more than the courage with which they have borne all that was imposed upon them by their surroundings or the cheery energy which they bestowed to their work, or the hopeful voices which rang in the ears of a deafening multitude of blacks, and urged the poor souls on to their goal.

The vulgar will call it luck, unbelievers will call it chance, but deep down in each heart remains the feeling that of verity there are more things in heaven and earth than are dreamed of in common philosophy.

I must be brief. Numbers of scenes crowd the memory. Could one but sum them into a picture, it would have a grand interest. The uncomplaining heroism of our dark followers, the brave manhood latent in such uncouth disguise, the tenderness we have seen issuing from nameless entities, the great love animating the ignoble, the sacrifice made by the unfortunate for one more unfortunate, the reverence we have noted in barbarians, who, even as ourselves, were inspired with nobleness and incentives to duty—of all these we could speak if we would, but I leave that to the *Herald* correspondent, who, if he has eyes to see, will see much for himself, and who, with his gifts of composition, may present a very taking outline of what has been done, and is now near ending, thanks be to God for ever and ever!

Yours faithfully,

HENRY M. STANLEY.

House Building at the West.

Building, of course, is active in the new and growing West; but what is equally important and pleasant in point is the fact that more and more attention is paid to architectural excellence and requirements. Superior architects are becoming numerous and are universally employed before constructions of any importance are commenced. The literature, too, of architecture is a very well established feature of the day. As the best periodical in the line, the *Architect and Builder* edition of the *SCIENTIFIC AMERICAN* may be mentioned. It is published monthly by Messrs. Munn & Co., the noted patent solicitors, No. 361 Broadway, New York. Price, \$3.50 a year.

It is a beautifully illustrated serial of large size, magazine shape, and treats of the subject in all the respects of design, ornament, cost, and economy. The perusal of its pages affords a rich treat of abundant profit to any one the least concerned with or interested in building.

As an educator of the laity and a source of hints and suggestions to the professional it is without an equal.

While small and medium sized structures receive profuse attention, larger ones are likewise elaborated in plain and detail.

In each number, also, a double page is devoted to handsome houses already built. The illustrations are printed in colors, showing how the finished erections appear appropriately painted.—*The Dubuque Trade Journal*.

Captain Robert B. Forbes.

Captain Robert B. Forbes, one of the last of the old merchant princes of Boston, died at his residence in Milton, Mass., November 23. No man has been more closely allied and identified with the shipping interests of the whole country than he. He took great interest in everything relating to the sea, and introduced many improvements in the construction and equipment of vessels of all classes.

Captain Forbes was born at Jamaica Plains, Mass., on September 18, 1804, and on January 17, 1811, his mother, his brother Thomas F., and himself embarked at Boston on board of the schooner *Midas*, bound for Marseilles, to join his father. Off the port the schooner was captured by a British frigate, which sent her to Fort Mahon. After considerable delay Mrs. Forbes and her boys reached France. Here the boys were sent to school. The master was as ignorant of English as they were of French, yet by close attention and the use of a French and English dictionary the boys soon acquired a sufficient knowledge of French to pursue their studies. On the 13th of May, 1813, Mr. and Mrs. Forbes and their boys embarked at Bordeaux on board the American schooner *Orders in Council*, bound for Boston. Shortly after leaving this port the schooner was attacked by a British cutter, which she beat off after an hour's fight, but was captured soon after by the frigate *Pomone* and taken to Lisbon. The Forbes family embarked in another vessel, and were again captured, but finally reached Newport, R. I., in the ship *Ledd*.

At the age of thirteen years, Robert B. Forbes went to sea before the mast in the ship *Canton*, packet, bound for China. When sixteen years old he was third mate; at twenty he was captain; at twenty-six he owned a ship and commanded her; at twenty-eight he left the sea; and at thirty-six he was at the head of the largest American house in China, and a man of fortune. His father was dead and his brother Thomas was drowned at Canton. He provided liberally for his mother and his younger brother, J. M. Forbes. During his seafaring career he traded between China, the United States, Europe, California, and South America, and was eminently successful in all his voyages. In 1847 Captain Forbes commanded the United States sloop-of-war *Jamestown*, laden with provisions for the starving poor in Ireland, and made the voyage from Boston to Cork and back in forty-nine days, and then helped to load the frigate *Macedonian* on the same errand of mercy. During the war of the rebellion he was employed by the government to inspect the building of several gunboats, and had built for himself the frigate *Metea*, 1,500 tons, to cruise in search of the vessels which were preying upon American ships. In all he built about seventy sail. He took a great interest in everything connected with seamen, so much so that he was called the "Howard of the Sea." He did much and wrote much about the best means of saving life in cases of disaster. In 1883 he published his "Personal Reminiscences," a model of condensed writing. At the age of thirty years he was married to Miss Rosa Green Smith, who died on the eighty-first anniversary of his birth. He had by her two sons, Robert Band and John Murray Forbes, and two daughters. Captain Forbes was a liberal supporter of every benevolent institution for seamen and soldiers. He was almost worshiped by the boys of Milton, for he made for them with his own hands over one hundred models of sail and row boats.

Captain Forbes was for many years a contributor to the *SCIENTIFIC AMERICAN*. His writings are marked by clearness of expression and the practicability of his views. Probably his very last contribution to the press was the article which we give this week on another page. It was written for the *SCIENTIFIC AMERICAN* at Milton on October 26 last, and contains excellent suggestions relating to the need for fresh water basins at our navy yards.

American Lighthouses.


The Lighthouse Board has submitted its report for the fiscal year ending June 30, 1889, to the Secretary of the Treasury. At the close of the year there were under control of the board 1,021 lighthouses and lighted beacons, 1,328 lights on Western rivers, and 4,284 buoys of various kinds. In the maintenance of these there are employed 1,934 light keepers and a number of miscellaneous employees.

The estimates for the ensuing year are \$2,576,700. The estimates for special appropriations aggregate \$3,290,650. The deficiency estimate is \$211,496.

The board reports that the effort to light Gedney Channel, New York Bay, by electric lights, has been successful thus far.

A POCKET TICKET CASE.

The accompanying illustration represents a simple and convenient pocket case or receptacle for carrying street car, ferry, stage, and other tickets. It has been patented by Mr. Frank I. Hart, of No. 151 East One




HART'S TICKET CASE.

Hundred and Twenty-third St., New York City. Fig. 1 shows the device in use, Fig. 2 being a sectional view, and Fig. 3 showing the case open for the reception of tickets. The body section of the case is in the form of a box with a central opening in its top, and a transverse slot at one end, of sufficient width for a ticket to be passed through, while the cover section is a flanged plate hinged to one end or side of the bottom, its flanges engaging with the inner or outer faces of the body section, or the cover may be held closed by any approved form of clasp. A spring is secured to the inner face of the cover, as shown in Figs. 2 and 3, whereby the tickets are pressed upward to the top of the case, in position to be passed singly out through the slot by a slight pressure of the thumb or finger upon the uppermost ticket through the opening in the top of the case.


AN IMPROVED SEED DRILL AND FERTILIZER DISTRIBUTER.

The accompanying illustration represents a simple form of drill specially adapted for sowing all kinds of garden seeds in rows and for distributing fertilizer. It has been patented by Mr. William H. Genung, of Madison, Ohio. The main frame has a top plate, in



GENUNG'S "IRON KING" SEED DRILL AND FERTILIZER DISTRIBUTER.

the middle of which, to the rear, is held a seed hopper having on its bottom a flange resting on the top plate, the flange having a downwardly extending lug passing through an aperture in the top plate. The rear part of the flange has a straight side, against which works an eccentric cam pivoted to the top plate, whereby the hopper is locked in position on the top plate. For distributing fertilizer a larger hopper is employed, either being readily locked in place by means of the eccentric cam. In the bottom of the hopper is an aperture, registering with one in the top plate, whereby the seed passes to the discharge spout, in front of the lower end of which is held a vertically adjustable plow or runner adapted to form a V-shaped furrow for the seed or fertilizer. On the spout is also pivoted a rearwardly extending forked arm, on which are held covering disks adapted to close the furrow after the seed or fertilizer has been dropped. The amount of seed or fertilizer delivered is regulated by a



WILSON'S CAR DUMPING DEVICE.

disk pivoted to the top plate and extending under part of the bottom of the hopper, the disk having nine different openings of varying sizes, any one of which can be brought to register with the aperture in the bottom of the hopper and the top plate, to govern the amount of seed passing down the spout. Near the lower end of the hopper is a feed wheel, operated by a sprocket chain, from the front driving shaft, whereby the seed in the hopper is kept from clogging in its passage to the spout. Markers are attached to the rods which extend from each side of the frame, to mark the position of the next following row on each side of the machine, and either one or both of the markers can be held out of contact with the ground by means of cords passing through eyes on the under side of the handles. A considerable number of these machines is already in use, and they are said to prove highly satisfactory.

Utilizing Niagara Falls.

The town of Niagara Falls, Ont., has in course of construction a new system of water works. The work is interesting from the fact that a greater part of it is being done near the brink of the Horseshoe falls. A tunnel 125 feet long, 6 by 7 feet in size, the mouth of which is 35 feet below the brink of the precipice, and which has now reached a depth through solid limestone rock of about 50 feet, is being made to serve as a tail race from the wheel house to the pump house. These buildings will stand just beyond the Table Rock House. The necessary water to operate the works will come to the wheel house through a wooden tube 6 by 8 feet in size, and about 600 feet long. A shaft is being sunk through the rock to allow of the discharge of the volume of water coming through the tube on to the water wheel and into the tail race or tunnel. At the upper end of the wooden tube will be an open cut 12 feet wide and 11 feet deep, extending about 150 feet outward toward the northern end of Cedar Island, where the water is deep. Outside or inside the wooden tube will be placed a 14 inch pipe, the end of which will extend some few feet beyond the mouth of the open cut near Cedar Island, and through this pipe will come the water that will be furnished throughout the town for general use. Work on the tunnel is carried on night and day. The works are expected to be in operation by June next.

Removal of Moles.

In a recent number of the *Practitioner* Dr. Jamison writes on the use of sodium ethylate in removing hairy moles on the face. He operated in this way. The hairs were cut off as closely as possible with a very fine pair of scissors, and the mole was then painted over with sodium ethylate, a fine glass rod being used. When the mole had a varnished look the ethylate was gently rubbed in with the glass rod, to make it penetrate more deeply into the hair follicles. The mole had quite a black look when the operation was over. A hard crust formed over it, which was nearly three weeks in becoming detached. When it came off the hairs were seen to be destroyed, and the surface of the mole had a smooth, somewhat cicatricial appearance, of a much lighter color than before; and this favorable condition continued until the mark was scarcely noticeable.


AN IMPROVED CAR DUMPING DEVICE.

A device to facilitate the dumping of four-wheeled cars, used to transport ore, coal, sand, earth, etc., whereby the cars may be automatically discharged of their contents at the edge of an embankment or the end of the track, is illustrated herewith, and has been patented by Mr. Charles F. Wilson. The body of the car is hinged to the terminal sloped ends of the car frame, the point of connection being such that, when loaded, the car body will be retained upon the frame by gravity, but the center of gravity is sufficiently near the hinge to readily permit of the tripping of the body over the sloped ends of the frame, by the sudden arrest of a forward motion in that direction. Near the edge of the embankment or other point where the load is to be discharged, a bracket stand is secured upon one of the cross ties, midway between the rails, and a bell crank lever is pivoted to rock upon a shaft supported by the bracket, its limbs being at right angles to each other, as shown in the small view. The limbs of the lever are of such length that they will project above the axles of the car, the outer limb being straight and the inner one having a right-angled projection. As the car moves toward the point of discharge, its front axle abuts against the vertical limb of the bell crank lever, when in the position shown in the small view, the further movement of the car rocking the lever to elevate its prostrate limb between the front and rear axles, and cause the right-angled projection of the latter limb to hook above the rear axle of the car, thus suddenly arresting the car and dumping the load. The backward movement of the car restores the tripping lever to its original position, ready to engage the next loaded car.

For further information relative to this invention address Mr. R. C. Macy, Breckenridge, Col.

IMPROVED DEVICE FOR SANDING RAILROAD TRACKS.

An attachment especially adapted for street cars, enabling the driver to conveniently sand the rail in front of the wheel whenever desired, and prevent clogging of the sand in the discharge spout of the sand box, is illustrated herewith, and has been patented by Mr. John W. Bates, of No. 31 Willoughby Street, Brooklyn, N. Y. The sand box is located under the seat of the car, and on the lower end of the spout leading therefrom a valve is hinged in an inclined position. The valve is pivotally connected with one end of a rod which passes upward and horizontally through a barrel, in which a coiled spring is secured to the rod, as




BATES' SANDING ATTACHMENT FOR CARS.

shown in the small figure. The rod extends outwardly under the car platform, where it is pivotally connected with one arm of a bell crank lever, the other arm of which is connected with a short rod passing upward through the bottom of the platform, and having on its upper end a knob adapted to be pressed upon by the foot of the driver. When the driver presses on this knob, the valve rod is operated through the bell crank lever, and against the tension of the spring in the barrel through which the rod passes, to open the valve at the bottom of the spout, the spring operating to close the valve when the pressure on the knob is removed. In order to prevent clogging of the sand in the spout, an upwardly extending crooked agitating rod is connected with the inner face of the valve, to agitate the sand as the valve is opened and closed.

AN UNLOADING ATTACHMENT FOR CARS.

The accompanying illustration represents a recently patented device to facilitate the unloading of coal and other cars, when the material to be unloaded is of such a nature that a shovel cannot be readily inserted until a portion of it has been removed by the hands of the laborer, to expose the floor of the car body. It consists of a shoveling plate, or guide rest, made of sheet metal, bent upon itself along its upper edge to form a hollow half hinge, as shown in Fig. 1, a hinge rod passing through the half hinge having its bearings in the sides of the car body, as shown in the sectional view, Fig. 2. The same kind of a shoveling



HARSHMAN'S UNLOADING ATTACHMENT FOR CARS.

board can be used on covered box cars for unloading ear corn, potatoes, coke, etc., the bottom of the car being filled at the ends first, by turning up the shoveling board, afterward turning it down to rest upon the car floor, when the remainder of the load is added. In applying such a shoveling board to a grain door, the board should be made to run from one end of the door to the other, the board being turned up out of the way when the door is to be pushed to one side.

For further information relative to this invention address the inventor Mr. J. S. Harshman, Harshman, O.

THE BEAVER (CASTOR FIBER).

Among the rodents there is not another creature about which there have been so many fabulous stories as there have been about the beaver. The accounts of his skill in building, specially, are exaggerated, and recent researches have furnished the first satisfactory accounts of his habits.

In regard to the present distribution of the beaver in Europe, the greatest numbers of them are found in Poland, Russia, Sweden, and Norway, although isolated specimens are encountered on the Danube, Moselle, Weser, and other rivers of Central Europe. Formerly they must have been very numerous in Germany and the neighboring countries, for the names of many rivers and places indicate their presence. Thus, for example, the "Bohrfluss" in Silesia has, doubtless, derived its name from the Flemish word "bohr" (beaver), and the name of the imperial castle "Babelsberg" can be traced to the same source, "babel" meaning the same as "biber" (beaver.) The greatest numbers of these rodents are now found, however, in Alaska, which exports 30,000 skins annually. The darkest skins are considered the most valuable, the prices of such ones ranging from \$12 to \$14.

pressed, snout blunt, neck short, back arched, and his eyes are rather small. His small ears project very little from the fur, and can be laid down flat, so as to nearly close the ear openings. The incisors are extraordinarily strong, and project; and besides these, each jaw is provided with four molars. His legs are short and muscular. Each foot has five toes, and the hind feet are webbed. Both the male and female are provided with castoreum-secreting glands. In trade there is a distinction made between the Siberian and American castoreum, the former being considered the most valuable.

A half ounce of this salve-like mass costs from \$20 to \$24. It is used in medicine as an anti-spasmodic.

Each litter consists of from two to four young ones, which are weaned when about four weeks old. In less than two months they have gained sufficient strength to be able to follow the mother about. At the end of a year the young beavers are fully grown.—

Illustrirte Zeitung.


Sulphur Recovery.

The chemical section of the British Association paid a visit during the late meeting to the Jarrow Chemical Company's Friar's Goose Works, where the new sul-

phur recovery process of Mr. Chance is now at work, and to the Newcastle Chemical Works Company, where plant to the value of £60,000 is now being erected for the same purpose. At the Friar's Goose Works the plant is capable of treating about one-third of the total waste produced at the company's works, and roll brimstone and "flowers of sulphur" are now among their salable products. It will be recollected that the new process is based on the fact that carbonic acid gas decomposes the calcium sulphide of the waste in presence of water, first into carbonate of lime and calcium sulphhydrate, and finally reacts with the latter, forming a second quantity of carbonate of lime and sulphureted hydrogen gas. The plant is so arranged that the process is a continuous one, the carbonic acid being led under a pressure of 40 pounds into large tanks containing the alkali waste arranged in series at such a rate that at the end of the series pure sulphureted hydrogen gas is evolved and collected in gas holders. The operator is able to introduce the carbonic acid into any of the tanks by turning valves, and the gas which issues from the different tanks is tested from time to time by burning in a Bunsen burner, so that only a gas rich in sulphureted hydrogen is allowed to enter the gas holders. At the Friar's Goose Works, only part of the sulphureted hydrogen produced in this way is converted into sulphur in the Claus kilns. The remainder is introduced directly into the pyrites kilns,

where it burns, and the sulphurous acid produced passes with that derived from the pyrites directly into the vitriol chambers. It is calculated that about 75 per cent of the total sulphur present in the alkali waste is thus recovered.

The Newcastle Chemical Works Company, through the enterprise of Messrs. Allhusen, will shortly have the largest plant at present made for the process, and will be able to convert the whole of their waste into marketable sulphur. The sulphuric acid used on these works is all derived from pyrites smalls, containing about 50 per cent of sulphur, and about 30,000 tons of pyrites are burnt annually to produce sufficient acid to decompose the 50,000 tons of salt which the company require per annum. This quantity of acid will therefore give 15,000 tons of total sulphur at present lost in the waste, and which the new plant is meant to recover, or, assuming that two-thirds only is recoverable, will mean a yield of 10,000 tons of sulphur per annum. The kilns for generating the carbonic acid required to effect the decomposition of the waste are of special construction, being built on the Dietz system, and fired with cinders and refuse coal from the other parts of the works. These works at present can produce annually about



THE BEAVER (CASTOR FIBER).

Our cut shows a female with her young at home. On the farther bank we see the male, peeling and piling up pieces of wood, which furnishes the principal material for their so-called "lodges." These lodges are made of branches and sticks thrown together in confusion and cemented together by quantities of sand and mud. The beavers fell their building material by means of their very strong teeth; they bite right through inch thick sticks, while the stems of larger growth they cut down by gnawing around them. When felled, the trees are first robbed of their branches, then cut up, and the pieces used in building. The bark, which is their favorite food, is eaten at once, or stored away.

When completed, a lodge looks like an arched oven, and contains room for storing their winter food, besides the space in which they sleep. The beavers work incessantly on their dwellings, enlarging and improving them, carrying in provisions, etc., until the frost puts a stop to this industry. They erect these skillful structures only when living in large companies. Individuals living by themselves dig tunnels, which begin below the water level and end at a distance from the bank.

The beaver is one of the largest rodents. A full-grown male measures from 2½ to 3 feet in length, and weighs from 40 to 50 pounds. His tail has a scale-like covering, his body is rather plump, his head broad and com-

phur recovery process of Mr. Chance is now at work, and to the Newcastle Chemical Works Company, where plant to the value of £60,000 is now being erected for the same purpose. At the Friar's Goose Works the plant is capable of treating about one-third of the total waste produced at the company's works, and roll brimstone and "flowers of sulphur" are now among their salable products. It will be recollected that the new process is based on the fact that carbonic acid gas decomposes the calcium sulphide of the waste in presence of water, first into carbonate of lime and calcium sulphhydrate, and finally reacts with the latter, forming a second quantity of carbonate of lime and sulphureted hydrogen gas. The plant is so arranged that the process is a continuous one, the carbonic acid being led under a pressure of 40 pounds into large tanks containing the alkali waste arranged in series at such a rate that at the end of the series pure sulphureted hydrogen gas is evolved and collected in gas holders. The operator is able to introduce the carbonic acid into any of the tanks by turning valves, and the gas which issues from the different tanks is tested from time to time by burning in a Bunsen burner, so that only a gas rich in sulphureted hydrogen is allowed to enter the gas holders. At the Friar's Goose Works, only part of the sulphureted hydrogen produced in this way is converted into sulphur in the Claus kilns. The remainder is introduced directly into the pyrites kilns,

18,000 tons of bleaching powder and 20,000 tons of 60 per cent caustic soda. The salt used is obtained from the company's salt works at Cowpen Marsh, South Durham, where extensive beds of rock salt exist at a depth of 1,000 to 1,200 feet. In addition to the new plant, the visitors had an opportunity of visiting the old works, and were shown the manufacture of 77 per cent caustic soda, which is replacing the cruder forms of the article in paper making and in other industries, which can be more economically worked with a strong and pure lye derived from a high strength caustic.

Niter Deposits.

Caves containing deposits of earth with from 4 to 30 per cent of calcium nitrate and 5 to 60 per cent of calcium phosphate are common in Venezuela, not only in the littoral mountain chains, but also on the flanks of the Cordillera of the Andes. In these deposits are embedded remains of mammalian bones, preserving their form, but so friable as to fall to powder when they are extracted. They consist solely of calcium phosphate; the gelatin has been nitrified and dissolved out, and the calcium carbonate of the bone has been used up in neutralizing the nitric acid produced. The nitric ferment is found in abundance throughout the deposits in a very well developed form. Some of these deposits are 10 meters thick.—*Jour. Soc. Chem. Ind.*

THE NEW CHICAGO WATER WORKS.

(Continued from first page.)

lon. The lake water, however, is remarkable for its good quality. It contains only 8 grains of total solids to the gallon, approximating in purity to distilled water.

Although this original water works had an excellent record, supplying water continuously for many years, under pressure limited by a stand pipe 130 feet high, being interrupted only for a few days during the great fire of 1871, the increase in population of the city has excited apprehensions as to its sufficiency, and new water works, on a greatly increased scale, are now in process of construction. We illustrate these operations, and the views show our readers what is really one of the great engineering works of the day.

The general design of the new works provides for a tunnel which is to extend under the lake for four miles easterly from Park Row. This is to be about double the length of the old tunnel. Under the city proper two miles of tunnel are constructed, so as to connect two new pumping works, one for the south and the other for the west division of the city. The old system of tunnels and pumping works for the north division of the city will be brought into connection, by means of the tunnel under the lake, with the new system, so that old and new tunnels and water works will all be connected and be susceptible of working together. The original intention was to have built a tunnel of 96 inches internal diameter. Upon investigation, it was found that the ground under the lake was not adapted for so large a structure. A stratum of boulder clay, suitable for tunneling, was found beneath the lake, but was both overlaid and underlaid by strata of dangerous or unreliable character. The clay layer was too shallow to receive an 8 foot tunnel, so it was decided to construct two 72 inch tunnels parallel with each other, and situated about 50 feet apart.


The work within the city limits was constructed from three shafts, located at proper intervals, and these two miles are now complete. As regards the lake tunnel, about three-quarters of a mile are now finished, leaving a little over three miles still to be built.

The work under the lake is being constructed from four shafts, the first one being situated on the shore at the foot of Park Row. The depth at which the tunnels are built varies from 75 feet to 110 feet below the city datum. The lake shafts are three in number. The first is located one-half mile from shore. A pumping station was necessary at this point during the construction, in order to keep the works drained, owing to the grade. From the standpoint of the city's uses it is foreseen that this might be used for temporary supply if the completion of the terminal crib and connections was from any cause delayed. It is also possible that this shaft may ultimately be connected with the South Side water works by an independent tunnel, in order to be used as an intake for a high pressure water service to run elevators and machinery. The other lake shafts are two and a half miles and four miles from shore. The two and a half mile shaft is a structural one only. All the permanent shafts are heavy cast iron cylinders, built in sections, protected by hollow cribs or caissons.

The caissons for the first two shafts in the lake are built of 12 x 12 timbers, bolted together by 1 1/4 inch drift bolts. Taking as an example the two and a half mile caisson illustrated in one of our views, it represents two concentric pentagons, with their parallel walls twenty feet apart, providing an inner clear space of about 26 feet in diameter, the outer diameter being 72 feet 6 inches. The almost annular space between the two pentagons is filled with heavy rock, which rests upon the floor or bottom of the structure, which is made quite water tight. This floor extends over the area between the two pentagons, leaving the center well free. The pentagonal shape of the caisson affords a good place for vessels to lie at, each side being 47 feet 6 inches in length. The shaft descends through the center of this structure. The half mile shaft is of similar construction, and is the one which it is proposed to adopt as part of the water supply; it is further protected by a breakwater run out from shore. But the work of greatest magnitude is the four mile permanent caisson. It represents, in general terms, an annulus or ring of combined steel, timber, granite, and concrete, 125 feet in external diameter at the base, 118 at city datum when in position, 70 feet in internal diameter, and 53 feet in height. The bottom course is of timber. A grillage of solid white pine timbers, 12 by 12 inches each, was built up in the shape of a ring, 13 feet in depth, 125 feet in external diameter at the base, 123 feet at the top, and 70 feet in internal diameter.

Drift bolts, 1 1/4 inches in diameter, 2 feet long, and spaced not over 6 feet apart, are used to secure the members of this enormous mass of timber; inside and out it is planked with double vertical courses of 6 inch plank, the outer course being of white oak. Shoe courses of timber, 24 inches deep, run around its bottom, outside and inside, and two 12 inch courses of timber

were specified to floor the bottom of the well. Upon the top of this ring-shaped structure are based two cylinders of steel plate 3/4 of an inch thick. The inner cylinder, 70 feet in diameter, rises vertically from around the inner wall of the grillage. The outer cylinder rises from the outside of the grillage with a slight batter inward; 24 radial bulkheads connect the two steel cylinders. The cylinders and bulkheads are bolted down to the timbers, some courses of bolts running through the entire 13 feet of timber and 2 feet of shoe courses. Through the timber six ports, 5 feet square, provided with gates and fish screens, are carried for the admission of water. The immense mass, owing to the timber and the air space, as it was built absolutely water tight, possessed considerable buoyancy, and floated on the water after launching and completion. The best quality of concrete, with large stones embedded in it, was then filled into the hollow annulus between the iron plates until it was sunk well down into the water, in order to do as much of the work as



CHICAGO WATER WORKS—CAISSON SECTION.

possible near the shore. It was then towed out to its place and more concrete added until it sank and rested upon the bottom of the lake, at this point 42 feet deep. The concrete was then filled up to the level of the top of the steel work. About 24,000 tons of concrete were used for this operation. This brought the upper line of steel within a few feet of the water or city datum plane. Two walls of granite, circular and concentric, were then carried up 8 feet above the iron plates, and the space between them is filled in solid. Upon this foundation a lighthouse is to be established to warn vessels of the proximity of the caisson.


Within the caisson is the 70 foot well formed by it, floored with 8 feet of concrete. Here the main inlet shaft is situated, leading to the tunnel. It is a cast iron pipe 10 feet in diameter and 2 1/4 inches thick, made in sections joined by bolts passing through internal flanges with calked lead joints. Near its top two gates, 5x6 feet, are provided for the admission of water. The object of making so massive a structure is to secure it against disturbance from storms and to avoid the necessity of building around it a breakwater, which, as already stated, was found necessary in the case of the intake of the original water works.

These works were put under contract by the city of Chicago with Mr. Andrew Onderdonk, New York, about two years ago. Since that period the work has progressed night and day uninterruptedly, and in two years more it is believed the work will be completed. The end caisson was built under the direct charge of General Charles Fitzsimmons, of Chicago. In many respects the work is unequalled by anything of the kind ever undertaken. The new pumping stations will, of course, be constructed of the most advanced type, and we illustrate in elevation one of the buildings which it is proposed to erect for such use.

Whether the International Fair of 1894 be held in New York or Chicago, it is fair to assume that the new works here described will be one of the important objects for the inspection of visitors to America.

A FEAT IN PHOTOGRAPHY.

Trotting horses, leaping acrobats, running hounds, even a locomotive at full speed, have proved comparatively easy subjects for instantaneous photography,



PHOTOGRAPH OF FLYING PROJECTILE.

but certain other moving objects have severely tested the skill of the photographer as well as the capacity of the apparatus employed.

Perhaps the most difficult feat yet attempted in the line of photography is that of catching an impression of a bullet or cannon ball as it flies across the field of the camera. This has been accomplished with varying degrees of success, but most of the specimens of this class of work hitherto produced have been at

the best mere streaks, not in any way resembling the projectile. This failure to procure a sharp impression is shown by the photograph itself to be due to lack of shutter speed.

A recent invention, to which we alluded a short time since in an article on "The Tachyscope," has apparently obviated this difficulty, so that it can no longer be said to be impossible to secure a recognizable picture of a flying projectile.

Last year Mr. Ottomar Anschuetz, of Lissa, Prussia, tried some very interesting experiments at Gruson, near Magdeburg in Germany, which demonstrate the practicability of photographing a flying bullet by daylight. Mr. Anschuetz constructed a small camera of great strength, in which he arranged a shutter of his own invention, which in this case was operated by an eight hundred pound weight. The shutter is arranged immediately in front of the sensitive plate, and consists simply of a curtain having a narrow slit as long as the plate, the width of the slit being variable. This slitted curtain passes over the entire face of the sensitive plate, exposing successive portions thereof to the action of the light. This arrangement insures a brief exposure of all portions of the image of the moving figure, thereby producing an extremely sharp negative. The slit in the shutter during this experiment was adjusted to a width of 0.002 of an inch.

Fig. 1 of our engraving represents the photograph in its actual size. Fig. 2 shows the photograph enlarged. In the field of the camera, which covered a space of 46 feet, Mr. Anschuetz drew a canvas curtain, and at every 13 1/2 feet suspended a projectile 12 inches long, for comparison with a projectile of the same kind to be fired from a cannon. At a distance of 200 feet a wire netting was placed, which was connected electrically with Anschuetz's drop shutter. The projectile passed through the wire netting at a velocity of 1,812 feet per second, and its image was caught on the sensitive plate after having sped along the canvas curtain a distance of 42 feet. The shutter passed over the plate in the short space of 75-1,000,000 of a second. The numbers marked on the canvas indicate the distance in meters. The projectile shown below the space between the 10th and 12th meters is one of those suspended for comparison; the other shown above the 13th meter is the one photographed in its flight.

The photograph we reproduce was furnished us by the United States Photograph Supply Company, of No. 3 East 14th Street, New York City, who represent Mr. Anschuetz in this country.

A New Antiseptic.

Under this title a paper was read before the Medical Society of London, on November 4, by Sir Joseph Lister. The antiseptic is the double cyanide of mercury and zinc, and is prepared as follows:

A soluble double cyanide of mercury and potassium is dissolved, and to it a soluble salt of zinc is added; the precipitate formed is the double cyanide, which should be well washed with water to free it from any soluble cyanides, as they cause irritation and suppuration if placed on a wound in the shape of gauze.

One in 2,000 of double cyanide keeps blood serum and corpuscles from putrefaction, but if the wound has developed bacteria a much stronger solution or powder or gauze must be used. In other words, the double cyanide has a strong inhibitory but a weak germicidal power. Gauze is prepared in the following way: The double cyanide is triturated with starch, and water is added to this, the result being a somewhat leather-like mass. The water is strained off, and to the mixture of double cyanide and starch sulphate of potassium is added. This enables the mixture to be easily powdered, and, when it is dry, it is a fine white powder. In order to fix this powder on gauze, 3 per cent or 5 per cent of it is suspended in a 1 in 4,000 solution of mercuric chloride, when, by the agency of the starch, it sticks so firmly that it cannot be washed off except with difficulty.

Sir Joseph Lister said that the dressings should be used moist, and he had a little contrivance which he employed to show the surgeons present how they might prepare the gauze themselves, as he had made it a point that the gauze should be made as required. The exact composition of the double cyanide is uncertain, and is being investigated in the Pharmaceutical Research Laboratory.

The Tallest Chimney Yet.

The Clark Thread Company's chimney, at East Newark, N. J., which was illustrated in these columns not long ago, and claimed to be the tallest chimney in this country, has been supplanted by a smokestack just finished at Fall River, Mass., which is 340 feet high above the granite base and 80 feet square at the bottom. The shaft was built on the grounds of the Fall River Iron Works, and is, without doubt, the tallest smokestack in America.

The tallest finished chimney in the world is at Paisley, Scotland, and is over 500 feet high. Fall River's new chimney will furnish draught for four new factories.

Correspondence.

Fresh Water Basins for Navy Yards.

To the Editor of the Scientific American:

In your paper of this date, page 256, I find some interesting suggestions on the subject of the improvement of the New York navy yard, and especially in regard to a fresh water basin in which to put iron or steel ships when out of commission, and so prevent the rapid deterioration of the plates.

Several years ago I suggested that every navy yard should have what I termed "storage basins," large enough to contain one, or perhaps two, ironclads. My idea was and is to have the basins supplied with fresh water, when any water was needed, from the city water mains, but generally the basins were to be kept dry, so that the bottoms of the ships could be attended to. To haul up iron or steel ships in salt water has always seemed to me to be very much like committing suicide. I think that basins or stalls to contain not over two ships at a time would be better than to have one large basin for what your correspondent calls "our gallant navy." If my plan should find favor, comparatively little water would be required, and it could be procured from the public works. Salt water and high tide are good enough to carry the ship into her dock, block her up and let the water run out, close the gate and wash out with fresh water, dry the ship thoroughly inside and out, paint her and let her stand all ready for duty. Each of our yards would probably require three basins each to store two ships. All that is needed will be time and money. R. B. FORBES.

Milton, Mass., October 26, 1889.

Stopping Vibrations Caused by Falling Water.

That portion of our space which we are able to devote to answering the inquiries of our friends who write us, asking questions upon almost every conceivable topic, is far from adequate, and we have to supplement it by sending many more answers by mail than we print in the paper. The following correspondence covers an instance of this kind, such as it is pleasant to record, where our answer exactly fitted a special case, although it was of a kind not likely to occur frequently:

—, N. H., Oct. 19, 1889.

To the Editor of the Scientific American:

We have just let the water over a new dam, with a perpendicular face of 16 feet, falling on to an apron 4 feet under water; length, 140 feet. One end hugs close to a stone abutment, opposite end is open, so one could walk in. Water strikes between 5 and 6 feet from base of dam. Sheet of water wavers or flutters, sounding something like the exhaust of a high pressure steam engine running at medium speed. The vibration is felt for a mile around, more on the high ground, and sufficient to annoy the inhabitants. It moves loose windows and doors, also dishes. Please explain cause and remedy.

[Reply.—The vibration of the sheet of water flowing over the dam is due to the evenness of the thickness of the water. The elasticity of the air confined within the area propagates any vibration that may start in any part of the falling sheet to the whole mass, giving it, under certain conditions, a perfect wave, synchronous with the condition of the surrounding atmosphere. A ragged edge to the dam or a number of breaks in the sheet at unequal distances will break up the sound waves.—ED.]

—, N. H., Oct. 29, 1889.

To the Editor of the Scientific American:

Your esteemed favor is at hand. Did not expect you to answer by letter. I am very glad you did. Before your kind answer came, a log came down stream, lodging on crest of dam, which stopped a good part of the troublesome vibration. We decided to put a foot bridge on crest of dam, with fourpiers, 12 inches wide, projecting a trifle over edge of dam, and are quite right now. Thanking you many times, I am,

Very respectfully,

The Mongolian Pheasant.

This valuable addition to our native game birds was imported from China a few years ago. It has increased with surprising rapidity in western Oregon, Washington, and in the northwestern corner of California, under effective legislative protection.

It is unusually prolific, hatching two and frequently three clutches per season, the first nest containing eighteen to twenty-five, the last from twelve to sixteen eggs. This accounts for the fact that several different sizes of chicks are frequently seen in one covey. The first brood when hatched is turned over to the care of the male until the second and third broods appear, when all are combined and cared for by both parents.

They do well in confinement. Hatched by the domestic hen, they are as apparently contented in following her as on their native heath; but at the age of six weeks they "shake" their adopted mother and depart, never to return, much to her grief and disgust.

The plumage of the male is extremely brilliant and attractive. As a table dish it equals the partridge and prairie chicken of the East.

THE motion for an injunction in the case of the Bridgeport Wood Finishing Company vs. The New York Wood Finishing Company recently came on to be heard before Judge Wheeler in the Circuit Court of the United States for this district, and was argued by S. J. Gordon, Esq., for the complainant and Albert Comstock, Esq., for the respondent. The judge sustained the Wheeler patent, and ordered the injunction to issue.

Naval and Marine Requirements.

If official recommendation were of any avail, the country would long ago have been in possession of war vessels and commercial steamers equal to any in the world. But the dilatory action of Congress in the matter has up to this time kept the United States in the background. We have made a slight progress, however. We have built half a dozen new ships, but they are not of the latest forms, and they are lacking both in speed and defensive power. They can neither resist nor run. Let us hope the new Congress now in session will enact the necessary provisions for a great and effective naval system. The display of congressional enthusiasm and vigor in the premises would give much satisfaction to the people.

The President in his recent message presents the following:

"I recommend that such appropriations be made for ocean mail service, in American steamships, between our ports and those of Central and South America, China, Japan and the important islands in both of the great oceans, as will be liberally remunerative for the service rendered, and as will encourage the establishment and in some fair degree equalize the chances of American steamship lines in the competitions which they must meet. That the American States lying south of us will cordially co-operate in establishing and maintaining such lines of steamships to their principal ports I do not doubt.

"We should also make provision for a naval reserve to consist of such merchant ships, of American construction and of a specified tonnage and speed, as the owners will consent to place at the use of the government, in case of need, as armed cruisers. England has adopted this policy, and as a result can now, upon necessity, at once place upon her naval list some of the fastest steamships in the world. A proper supervision of the construction of such vessels would make their conversion into effective ships of war very easy.

"I am an advocate of economy in our national expenditures, but it is a misuse of terms to make this word describe a policy that withholds an expenditure for the purpose of extending our foreign commerce. The enlargement and improvement of our merchant marine, the development of a sufficient body of trained American seamen, the promotion of rapid and regular mail communication between the ports of other countries and our own, and the adaptation of large and swift American merchant steamships to naval uses, in time of war, are public purposes of the highest concern.

"The enlarged participation of our people in the carrying trade, the new and increased markets that will be opened for the products of our farms and factories, and the fuller and better employment of our mechanics which will result from a liberal promotion of our foreign commerce insure the widest possible diffusion of the benefit to all the States and to all our people. Everything is most propitious for the present inauguration of a liberal and progressive policy upon this subject, and we should enter upon it with promptness and decision.

"The legislation which I have suggested, it is sincerely believed, will promote the peace and honor of our country and the prosperity and security of the people. I invoke the diligent and serious attention of Congress to the consideration of these and such other measures as may be presented having the same great end in view."

The Secretary of the Navy, Mr. Tracy, is keenly alive to the naval requirements of the country. In his annual report he says:

"The necessities of our vulnerable position demand the immediate creation of two fleets of battle ships. They must be the best of their class in four leading characteristics—armament, armor, structural strength, and speed. Not only must the speed of our battle ships be high, but it must be uniformly high, for the speed of the fleet is regulated by that of the slowest vessel.

"In addition to the battle ships the situation of the country requires at least twenty vessels for coast and harbor defense. The one problem now before the government, in the matter of a naval policy, is to get these forty vessels built at the earliest possible moment. It is recommended that the construction of eight armored vessels be authorized at the coming session, and that they be of the type of battle ships rather than coast defense ships, the former being more generally serviceable and there being only three of them now in process of construction as against eight of the latter.

"In reference to fast cruisers, all modern experience goes to show that they are essential adjuncts of an armored fleet, and the proportion of three cruisers to one battle ship is believed to be sound and reasonable. This would make the future navy consist of twenty battle ships, twenty coast defense ships, and sixty cruisers, or 100 vessels in all, which is believed to be a moderate estimate of the proper strength of the fleet. Of the sixty cruisers required, thirty-one are now built or authorized. It must be remembered, however, that cruisers have another and equally important function in the attack and defense

of commerce. Any staunch vessel with a good coal capacity and the highest rate of speed, armed with a few rapid-firing guns, though built and used principally for commercial purposes, may by certain adaptations in her construction be made readily available for this form of warfare. The fast transatlantic liners, nationalized in foreign countries, but supported and maintained by American trade and American passengers—many of them, even, owned by American citizens—are a powerful factor in the naval force of the governments whose flag they bear and at whose disposal they must place themselves in time of war.

"It is matter for serious consideration whether steps may not be taken toward the creation of such a fleet of specially adapted steamers of American nationality, owned by American merchants, carrying the American flag, and capable under well defined conditions of temporary incorporation in the American navy. The advantages of such an arrangement, which enlarges the merchant marine and makes it at the same time self-protecting, are overwhelmingly great. The difficulty is that American capital will not be drawn into the enterprise unless it can be sure of specific compensation for the concessions which it makes to the government—first, in the adaptation of its vessels to the latter's needs, and, secondly, in the surrender of a privilege to use them when the exigency arises. In the absence of such an arrangement, the naval policy of the United States cannot neglect to take account of the fleets of fast cruisers which foreign states maintain under the guise of passenger and merchant steamers.

"They constitute an auxiliary navy, and must be reckoned as a part of the naval force of the governments maintaining them. It is difficult to imagine a more effective commerce destroyer than the steamship City of Paris, armed with a battery of rapid-firing guns. She can steam over 21 knots an hour, and can average 19.9 knots from land to land across the Atlantic. No man-of-war could overtake her; no merchantman could escape her. A fleet of such cruisers would sweep an enemy's commerce from the ocean.

"Our deficiency should be supplied either by a line of fast merchantmen, constructed with special reference to use in time of war, which will enable the government to avail itself of their services at critical moments, or we should build a fleet of at least five first-class cruisers of the very highest rate of speed, certainly not less than twenty-two knots. The displacement of these vessels should not be less than 4,000 tons. Even such a fleet will not supply the want of swift merchant steamers for coaling and transport service. Colliers and transports must alike be fast, for they cannot fight, and the collier can take no chance of capture, for she carries the life of the fleet. Apart from the want of battle ships, the most marked defect of the present fleet is in torpedo boats. This branch of defense cannot safely be neglected any longer. It is high time that steps should be taken to supply these essential constituents of a naval force. I therefore recommend that the construction of at least five torpedo boats of the first and second classes, in suitable proportions, be authorized as a beginning at the coming session of Congress."

While Congress is deliberating over the above excellent recommendations, let us hope it will also consider the significance from a naval point of view of what a railway company just north of us is doing, and which is briefly described as follows:

"The new vessels now building for the Canadian Pacific Railroad, and destined to run on the Pacific side of the great route about to be established between England and India, are to be fitted with gun platforms. Rapid-fire guns are to be assigned these vessels, and it is understood that the pieces will be carried on board either mounted or stored below decks for immediate use in time of war. The vessels, on the breaking out of hostilities, will be at once turned into armed cruisers. The engineer in charge of the construction, Mr. Bryce Douglass, is the man under whose supervision the Umbria and Etruria were built. The total dead weight of each of the new steamers will be about 3,750 tons. They will all be ready, it is thought, early in 1891."

New Gas Invention.

The Pittsburgh Dispatch describes a new invention by Mr. William Root, which promises important results.

It consists of the combination of air with the gas as it issues from the burner. The experiment made was with a small revolving fan on the same shaft that runs the other machinery. A pipe from this connected from beneath with a glory hole and ran up to the center of the burner. Heretofore it has required the valve wheel on the gas supply pipe to be turned once and a half around to supply enough pressure for the glory hole, but when the air was turned on, the wheel only required to be moved ¼ inch. The usual pressure to a glory hole is 1 ounce, while in this case the pressure was a very small fraction of this amount.

Mr. Root said that by putting the air in all the burners the pressure in the factory could be reduced to 3 ounces where 16 to 20 are now required.

HOW TO MAKE A SIMPLE ELECTRIC TELEPHONE REQUIRING NO BATTERY.

The engravings represent an electric telephone in the simplest form. This instrument may be made by the use of a jackknife and a few of the simplest tools, and the materials of which it is composed, with the exception of the fine wire on the spool, may be found almost anywhere.

To make an operative telephone line, one that will work for any distance, say up to five or ten miles, two of these instruments are required, to be connected by the line wires. No battery is necessary.

The engravings being of the exact size, it will be unnecessary to give dimensions, as they may be obtained from the cuts.

For the telephone shown in perspective in Fig. 1 and in section in Fig. 2, the following materials are required, viz., a small horseshoe magnet of the size shown, a wooden pill box, a block of wood, a piece of thin tin plate, one ounce of No. 36 silk-covered copper wire, and a few common screws.

One leg of the magnet is broken off, as shown. To the other leg, A, is fitted the mortised block, e. To this block is glued the wooden pill box, a, which is apertured to receive the pole of the magnet. The box may be of the size shown, or a little larger or smaller. A little variation as to the size will make no appreciable difference in the working of the instrument. In the center of the cover, j, of the box, a, is made a circular hole, which is flared as shown, to form the mouth piece. To the cover is loosely fitted the thin tin plate which forms the diaphragm, h. Between the diaphragm, h, and cover, j, are placed cardboard rings, i, to hold the diaphragm in place.

To the end of the magnet is fitted a thin spool, f, made of cardboard or wood, and upon this spool is wound the No. 36 silk-covered copper wire. The inner end of the wire is carried through a hole in the side of the spool before winding.

In the block, e, are inserted two common screws, p, q, each provided with two copper washers or burrs. Around these screws are wrapped the ends of the wires, n, o, which extend into the pill box and are soldered to the ends of the fine wire on the spool. In the block, e, is inserted a screw, k, which bears against the edge of the magnet and clamps the magnet in working position, that is to say, with the end of the magnet placed as near the diaphragm, h, as it can be without producing a jarring sound when the diaphragm is made to vibrate by talking to it loudly.

The arrangement of the line, and the theory of the working of the instrument, are given in connection with the telephone shown in Figs. 3 to 5 inclusive.

The instrument shown in these figures is a little more complicated than that shown in Figs. 1 and 2, but it is at the same time more effective.

For the construction of this telephone the following materials are required: A permanent horseshoe magnet of about the size shown in the engraving, an ounce of No. 36 silk-covered copper wire, two large common iron screws, such as are used in woodwork, a piece of thin tin plate, and some pieces of wood and small common screws.

To make the diaphragm cell, A, take a square block of hard wood and cut in it a circular hole, B, of the size shown on the engraving, and fasten to the apertured block a bottom piece, C, by means of glue or small common screws. In the center of the bottom of

ered wire must be passed through a hole in the side of the spool, where the flanges join the cylindrical part. This wire should project from the spool two or three inches, and while the spool is being wound, great care should be taken not to break this projecting end of the wire, as an accident of this kind would necessitate re-winding the spool.

The spool may be filled upon a lathe or the bobbin winder of a sewing machine, or, when no better facilities are available, it may be wound by hand. It is preferable to make the winding as smooth as possible; but this is not essential.

In the diaphragm cell, A, near one of its edges, is inserted a second pole piece, G, formed like the pole piece, D, of the head end of a large common iron screw. The beveled head of the screw projects from the face of the diaphragm cell sufficiently to form a good contact with the remaining pole of the magnet, E. It also projects upwardly a short distance beyond the upper face of the diaphragm cell, so that when the diaphragm, H, is placed over the circular aperture of the diaphragm cell, it will form a

magnetic contact with the end of the pole piece, G. The diaphragm, H, consists of a disk cut from a ferrotype plate or from a thin tin plate, and where it touches the pole piece, G, the tin or japan with which the plate is coated must be scraped off to allow the pole piece, G, to touch the iron of the diaphragm. Between the diaphragm, H, and the cell, A, is placed a narrow cardboard ring, and above the diaphragm is placed another similar ring, both having an internal diameter corresponding with that of the diaphragm cell. Above the outer ring is placed a piece of wood, I, having an aperture of the same diameter as that of the diaphragm cell. Outside of this ring is placed a mouthpiece, J, which is beveled or concaved. The mouthpiece has a small central aperture, as shown.

The diaphragm, H, must be placed very near but not in contact with the pole piece, D, and so arranged that when the diaphragm is set in vibration by sound waves, it will not jar upon the pole piece. The mouthpiece, J, and the piece, I, are clamped to the diaphragm cell, A, by means of common screws, K, and the diaphragm cell, A, is clamped to the poles of the magnet, E, by the wooden crosspiece, L, and the screws, M, passing through the wooden crosspiece into the bottom of the diaphragm cell.

The ends of the fine wire on the spool, F, are uncovered and wrapped around the coarser naked wires, N, O, passing through the side of the diaphragm cell. Upon the outside of the cell, A, these coarse wires are bent into loops, and small wood screws, P, Q, pass through the loops into the side of the diaphragm cell, and upon each of these screws are placed two copper burrs or washers, between which the ends of the line wires are re-clamped.

When two such instruments are connected together by means of two wires clamped by the screws, P, Q, as described, sounds uttered in one instrument will be reproduced in the other, and may be distinctly heard, although the volume is considerably reduced.

When a piece of




Fig. 1.—SIMPLE TELEPHONE—PERSPECTIVE VIEW.




Fig. 2.—SIMPLE TELEPHONE—SECTIONAL VIEW.




Fig. 5.—TRANSVERSE SECTION OF BIPOLAR TELEPHONE.

distance below the level of the face of the diaphragm cell.

To this pole piece, D, is fitted a pasteboard spool, F, of the size shown, and upon this spool is wound as much of the No. 36 silk-covered wire as it will hold. Before the winding is begun, the end of the silk-cov-




Fig. 3.—FRONT VIEW OF BIPOLAR TELEPHONE.



Fig. 4.—REAR VIEW OF BIPOLAR TELEPHONE.

iron approaches the pole of a permanent magnet, it reduces the magnetism of that pole, and when the iron is removed from the magnet pole, the magnetism of that pole regains its normal strength. Faraday discovered that when the magnet is inserted into a coil of wire, it produces a momentary current in the coil in one direction, and when the magnet is removed from the coil, it produces a momentary current in the coil in the opposite direction. Any change in the magnetic condition of a piece of magnetic material contained in a coil produces a momentary current in one direction or the other in that coil. Now, by the vibration of the iron diaphragm of the telephone in front of the pole of the magnet, variations in the strength of the magnetism are produced in the pole, and this alternate increase and diminution of the strength of the magnet acts upon the coil surrounding the magnet core in exactly the same manner as if the magnet were introduced into and removed from the coil.

The alternating currents thus generated in the transmitting telephone pass over the line and through the coil of the receiving telephone, and these impulses alternately increase and diminish the strength of the magnet in the receiving telephone so that its iron diaphragm is alternately attracted toward the pole of the magnet and then released, thus producing vibrations in the diaphragm of the receiving telephone which correspond to those of the transmitting telephone. These vibrations are imparted to the surrounding air, producing sounds like those uttered in the transmitting telephone. These instruments may be used interchangeably as receiver and transmitter. No battery is required, as no microphonic transmitter is employed.

A single wire may be used to connect the screws, P, of the two instruments if the screws, Q, of the instruments are connected by a wire with a water pipe or a metallic ground plate two or three feet square, buried in earth that is constantly moist. In this case the circuit is completed through the earth. If the ends of the line wire are connected with the instruments by means of flexible conducting cords, the disagreeable jarring of the wires will be avoided. No. 12 galvanized iron wire or No. 16 copper wire will make a good line. The wire should be supported at intervals of 200 or 300 feet on glass or porcelain insulators.

The precautions necessary to observe in the construction of this instrument to insure success are briefly as follows: to secure a good contact between the pole pieces, D, G, and the poles of the magnet, and between the pole piece, G, and the diaphragm, H, to have the diaphragm perfectly flat and straight, to provide a perfect connection between the fine wire of the bobbin and the wires, N, O, running out of the diaphragm cell, to insulate the line wire connecting the two instruments, to have the diaphragm, H, as near the pole piece, D, as possible without danger of contact therewith, and to clamp the diaphragm by its edges in the cell in such a way as not to bend or buckle it.

The materials for the telephone may be obtained from any dealer in electrical supplies in any of our large cities and towns.

LEWIS MORRIS RUTHERFORD.

Most scientists pursue their vocation under the auspices of some college or public institution largely from two motives. First, because they are dependent upon the salary of such a place for their means of support, and secondly because the cost of scientific apparatus is usually so great that it prevents private ownership. Very few, for instance, could afford an equipment like that of the Lick Observatory, in California, or an outfit similar to that possessed by the Jefferson Physical Laboratory, of Harvard University. A notable exception to this rule, and by far the most distinguished private scientist in the United States, is the gentleman whose career is herewith described.

Mr. Rutherford was born in Morrisania, N. Y., on November 25, 1816. He comes of distinguished lineage, for his grandfather was John Rutherford, twice elected to the United States Senate from New Jersey, serving from October, 1791, till February, 1798. Senator Rutherford's father entered the British army at the age of seventeen, and after taking part in the Canadian campaign, under Sir Jeffrey Amherst, resigned his commission, married a daughter of James Alexander (thus making him a brother-in-law of Lord Stirling), and became a citizen of New York. The senator was educated at Princeton, and studied law. After his admission to the bar he married a daughter of Lewis Morris, and

continued in New York City until 1787, when he removed to New Jersey.

His grandson, the subject of this sketch, is the son of Robert Walter Rutherford and Sabina Elliott Morris, and was graduated at Williams College, in 1838. Selecting law as the profession which he proposed to follow, he studied under Governor William H. Seward (afterward Secretary of State in President Lincoln's cabinet) in Auburn for two years, and then in New




Fig. 6.—THE TELEPHONE IN USE.

York City with George Wood, who was at that time one of the foremost lawyers in the country. As Mr. Wood persistently refused public office, his name has been almost forgotten, but the following anecdote shows the esteem in which he was held by his contemporaries: When William C. Preston, of South Carolina, was about to argue an important case in the United States Supreme Court, Daniel Webster asked him who was on the other side. Preston replied that it was a man from New York, whose name he could not recall, and said, "A sleepy-looking fellow named Wood, I think." "If it is George Wood," said Webster, "I advise you to look out how you wake him up." Such were Mr. Rutherford's legal instructors, and he was equally fortunate in his associates in practice.

In 1837 he was admitted to the bar of the New York State courts, and entered into partnership with Peter Augustus Jay, the son of the Chief Justice who administered the oath to President Washington, in 1789, with whom he continued until Mr. Jay's death, in 1842, and then he became associated with Hamilton Fish, who was afterward Secretary of State in President Grant's cabinet. Mr. Rutherford continued in active practice until 1849, when he went to Europe, remaining



LEWIS MORRIS RUTHERFORD.

abroad until 1852. On his return he did not resume his profession, but thereafter devoted his leisure to studies in astronomy and optics. He erected an observatory in the garden of his residence, at 175 Second Avenue, on the corner of Eleventh Street, New York City, and there did his principal scientific work.

One of his earliest contributions was concerning the "Companion of Sirius,"* whose discovery had just been announced by Alvan G. Clark, the well known maker of telescope lenses. Mr. Rutherford corroborated its existence, and says: "Since hearing of the existence of this star I have never looked for it in vain. Its dif-

ficulty is not occasioned by faintness, but by its proximity to so bright an object as Sirius. I consider it decidedly a brighter star than either of the close companions in the trapezium of Orion; no reasonable amount of illumination in the field extinguishes it."

In December, 1861, at the suggestion of Dr. Wolcott Gibbs, he began a series of experiments with the view of determining the best form of instrument for the purpose of continuing Fraunhofer's observations upon

the spectra of the heavenly bodies. He adapted Bunsen's and Kirchhoff's simple form of spectroscope, consisting of a condensing telescope with adjustable slit, a scale telescope with photographed scale of equal parts showing bright lines upon a dark ground, a flint glass prism of 60°, and an observing telescope with Huygenian eyepiece, magnifying about five times, the whole firmly but lightly mounted on seasoned wood and provided with an adapting tube in front of the slit, by

means of which the spectroscope is attached to the eyetube of the equilateral. A year later he published his results* in a paper, giving the fixed lines exhibited by the moon; also the lines and bands of Jupiter and Mars, with maps of the spectra of seventeen of the fixed stars, and including a full description of the instruments that he used.

This was the first work to be published after the great revelations of Bunsen and Kirchhoff, and was the first attempt to classify the stars according to their spectra. While Mr. Rutherford was engaged in making these researches on the spectra of the stars, he discovered the use of the star spectroscope, by means of which it is possible to show the exact state of achromatic correction in an object glass, and is particularly adapted for the rays that are used in photography.

In 1864, after many experiments in various directions, but all undertaken for the same purpose, he succeeded in devising and constructing an objective of 11½ inches aperture and about 15 feet focal length, corrected for photography alone. This instrument was a great success, and was described by him in the *American Journal of Science*.† It was constantly used by him in making negatives of the sun, moon, and star groups.

At the January meeting of the National Academy of Sciences, in 1864, he presented a paper "On Photographs of the Solar Spectrum," accompanied by a picture that he had taken by means of bisulphide of carbon prisms. It contained more than three times the number of lines that had been laid down within similar limits on the charts by Bunsen and Kirchhoff.

He also was the first to show the double character of the D sodium lines in the spectrum, finding that "is resolved into fourteen fine and close lines, with a beautiful and symmetrical band of finely doubled lines stretching toward A."

About the same time he published criticisms on different forms of spectroscopes that had been used by Secchi, Airy, and Donati, and in 1865 produced an automatic form of a six-prism spectroscope, which still continues the best in use.‡

In 1868 he built a new objective, with 13 inches aperture and about 15 feet focal length. This glass was an ordinary achromatic, such as is used for vision, and was converted into a photographic objective by the addition of a third lens of flint glass, which made the proper correction, and could be affixed in a few minutes. With this instrument Mr. Rutherford made several photographs of the moon that are of remarkable beauty, and have never been surpassed in delicacy or exactness. One taken on Feb. 27, 1871, is stated by Warren de la Rue to be the finest in existence.

He constructed a micrometer for the measurement of astronomical photographs for use upon pictures of solar eclipses or transits and upon groups of stars, of which he has measured several hundred, showing, as it is claimed by him, that the photographic method is at least equal in accuracy to that of the heliometer or filar-micrometer, and far more convenient. It was suggested by a German writer that the collodion film was unreliable, and Mr. Rutherford published a series of measurements that demonstrated conclusively its fixity under proper conditions.§

In 1870 he constructed a small ruling engine, which produced inference gratings on glass and speculum metal that were superior to all others until the recent

* *Am. Jour. Sci.*, 2, vol. 35, p. 71. 1863.

† "On Astronomical Photography," 2 series, vol. 39, p. 304. 1865.

‡ "On the Construction of the Spectroscope," *Am. Jour. Sci.*, 2, vol. 39, p. 129. 1865.

§ "Stability of Collodion Films," *Am. Jour. Sci.*, 3, vol. 4, p. 129. 1872.

productions of Prof. Henry A. Rowland, of the Johns Hopkins University. With one of these gratings he obtained a photograph of the solar spectrum that for a long time was unsurpassed.

He published, in 1876, a paper on "Glass Circles for Measuring Circles,"* in which he described an instrument in which the divided circle was of glass, and showed by readings that it gave a far greater accuracy than could be obtained from divisions on metallic circles of the same dimensions.

In 1888 failing health led to the discontinuance of his scientific work, and in December of this year he presented his astronomical instruments to the observatory of Columbia College, where they are mounted.


These included a large equatorial refracting telescope, with an object glass of 13 inches and focal length of 15 feet, supplied with photographic correcting lens made after his own design; a transit instrument made by Stackpole & Brother, of New York City, for observations of time; likewise micrometers for use with the large equatorial and a special micrometer for measuring photographs, which had been for several years in

He was one of the original members named in the act of Congress, in 1863, creating the National Academy of Sciences, and has been a member of its council, and has served on various committees. In 1857 he was elected to membership in the American Association for the Advancement of Science, and in 1875 was advanced to the grade of fellow. He has been a corresponding member of the Academy of Natural Sciences, of Philadelphia, since 1859, and a member of the New York Academy of Sciences since 1864. Besides membership in various other scientific bodies, he is an associate of the Royal Astronomical Society, of Great Britain, and his work has been recognized by the gift of various diplomas, orders, and medals, both at home and abroad.

THE LUMINOUS FOUNTAINS AT THE FRENCH EXPOSITION.

Among the most wonderful displays, electric and visual, at the recent French exposition were those pertaining to the luminous fountains, which were arranged on a grand scale and occupied a large portion

plenty and with dolphins, from which issues water that, falling into a vast basin, afterward falls in a cascade, 130 feet in width, into a lower basin in communication with a rectangular basin 130 feet in length, forming the second piece of water. Finally, the water reaches an octagonal basin ornamented with 17 wheat-sheaf jets (Fig. 1). We shall not speak of the details of construction and of the obstacles that had to be overcome in the progress of the work, but shall proceed to describe the structure of the jets through which the water and light issue. In the upper basin, the water escapes through four horns of plenty, four dolphins, and six urns, forming together fourteen parabolic or horizontal jets; then two vertical jets, each placed on the side of the vessel. On the edge of the rectangular basin there are fourteen wheat-sheaf jets, two of which are placed in the lower basin. Each of these consists of seventeen jets of small size so arranged as to cause the water to fall back in a spray around the vertical jet that escapes from the central part. Finally, the octagonal basin consists of two rows of concentric vertical jets—the first comprising



CLOSE OF THE FRENCH EXHIBITION—THE LAST PLAY OF THE LUMINOUS FOUNTAINS, NOVEMBER 6, 1889.

the possession of Benjamin A. Gould, of Cambridge, and was used by him in measuring up his photographs; also a very fine sidereal clock, made by Dent, of London, and a cistern bar made by Green, of New York.

With these instruments he included a gift of sufficient money to defray all expenses necessary for their transportation and mounting in the Columbia Observatory. The value of this benefaction is estimated at \$15,000.

In 1858 he was elected a trustee of Columbia and continued as such until he resigned in 1884. The degree of LL.D. was worthily conferred on him by this institution at its centennial celebration in 1887.

Mr. Rutherford was appointed by the President of the United States to be one of the American delegates to the International Meridian Conference held in Washington, D. C., in October, 1885, and he took an active part in the work, and framed and presented the resolutions that finally expressed the conclusions of the conference. He was invited by the French Academy of Sciences to become a member of the International Conference on Astronomical Photography, held in Paris in 1887, and was appointed by the president of the National Academy of Sciences as its representative to that meeting, but was obliged to decline on account of failing health.

* *Am. Jour. Sci.*, 3, vol. 12, p. 112. 1876.

of the plateau in front of the main entrance. The chameleon-like changes of color in the fountain waters were something astonishing to behold. It was not accomplished by the mere throwing of colored lights upon the exterior of a spouting jet, but was due to an interior electric illumination of the molecules of the water; the beams of light being, so to speak, thrown into and imprisoned within the crystal walls of the water and then carried along with it, becoming visible by interior reflection during the discharge of the water.

We give from *Le Monde Illustré* a spirited drawing of these remarkable fountains as they appeared during the grand illumination in honor of the closing of the exhibition, on the evening of November 6 last, and we subjoin additional illustrations showing the particular *modus operandi* whereby the illumination of the fountain jets was effected.

As the exposition was to open at night, it became necessary to find, aside from the enchanting illumination that it was proposed to have there, an attractive novelty worthy of figuring among so grand surroundings during the evenings of the exhibition. It was then that the luminous fountains were thought of that had so great a success at London, Manchester, and Glasgow.

First is the monumental fountain representing the ship of the city of Paris, ornamented with horns of

six and the second ten jets. In the center is placed an immense double wheat-sheaf jet.

As may be seen, the whole consists, then, of thirty-three vertical and fourteen parabolic jets, forming nearly three hundred tubes, from whence the water escapes at the rate of 88 gallons per second, supplied by Seine water derived from the Villejuif reservoir, situated at an altitude of about 290 feet.

As for the lighting, that is effected by 17 arc lamps (with a 60 ampere current) in the English part of the octagonal basin and by 30 regulators (with a 40 ampere current) in the rest of the fountain, including the French portion. The motive power absorbed by this lighting is of 250 horses. Subterranean galleries extend under the entire piece of water, and form a true crypt, in which are placed the electric lamps and the whole arrangement for producing the variation in colors.

If in the subterranean chamber we place the arc lamps, each provided with a reflector, under a glass plate, we obtain a vertical luminous pencil formed of sensibly divergent rays, which envelop the liquid mass of the jet as well as the water that falls back in drops.

The regulator, or lamp, whose carbons are vertical, is regulated automatically; then, for the tin reflector, silvered glass mirrors are substituted, one of which,

spherical in form, receives the rays of the arc lamp and concentrates them horizontally upon another and plane mirror inclined at an angle of 45°, which, in turn, sends them vertically into the jet. A glance at Fig. 2 will allow the operation of this arrangement to be understood.

We now come to the lighting of the parabolic jets that escape from the dolphins, etc.

After laborious researches, Mr. Bechmann, assisted by Mr. Richard, found the solution by converting the solid jet into an annular one, into the center of which a luminous fascicle was projected. This was done as illustrated in Figs. 3 and 4. The water escapes through the annular space and forms a hollow jet, through which the luminous fascicle is sent by a mirror inclined at an angle of 45°, placed in front of the cone and receiving vertically the light.

This arrangement permits of illuminating a jet of water 8 inches in diameter and of a height of fall of 14¾ feet. What is particularly remarkable is that not a ray escapes from the liquid, and that the fascicle of light is totally reflected over the entire curve of the jet, on condition, however, that the latter be not broken by anything, such as a blast of wind or a foreign body placed in the annular space.

What precedes gives a sufficient idea of the lighting. We shall now have a few words to say about the variations in color and the maneuvers they necessitate. The various tints given to the jets are obtained by simply interposing colored glass between the luminous source and the jet of water; in a word, the rays are passed through differently colored plates of glass forming a gamut of five tones. These plates are superposed in a frame fixed to the vault of the gallery, as may be seen in Fig. 3.

We shall now briefly describe the principle of the




Fig. 3.—ILLUMINATION OF PARABOLIC JETS OF WATER.

maneuver. All the glasses of the same color are connected with each other in series of five by means of a cable of small section passing, at the angles formed by each change of direction, over movable pulleys, and ending at a lever (see Fig. 5), to which it suffices to give a backward and forward motion of from 20 to 30 inches in order to bring the glasses in front of the luminous sources or to replace them in the frame. Each frame that carries the glasses is placed upon wheels that run upon rails, and is provided besides with a lattice work of very fine wire and with large meshes, in order to prevent the pieces from falling upon the mirrors in case a glass breaks.




Fig. 6.—BIRD'S-EYE VIEW OF THE LUMINOUS FOUNTAIN.

As regards the maneuvering of the whole, that is directed by a foreman in a kiosk situated at 95 feet from the fountain and corresponding through a gallery with the octagonal basin. From this kiosk, whence




Fig. 1.—SECTION AND PLAN OF THE LUMINOUS FOUNTAIN OF THE PARIS EXPOSITION.

he judges of the effect, the foreman controls the plays of water and light; the first through levers that he himself maneuvers, and the second through a series of electric buttons that communicate with the subterranean chambers and indicate to the men the colors that are to concur in the general effect.

Fig. 5 represents the interior of one of these chambers, situated under the principal group. In the center are placed the maneuvering levers, and above them is seen the annunciator on which the orders for the colors to be shown are given electrically.

To the left is perceived a part of the frame that supports the four regulators which light the horns of plenty on each side of the vessel. To the right, between the doors of the lateral galleries, in which are placed the regulators and mirrors that light the jets bordering the rectangular basin, figure the electric measuring apparatus.

When we shall have said that the entire mechanism




Fig. 4.—NOZZLE FOR PARABOLIC WATER JETS.

that we have just described operated with perfect regularity, producing surprising and admirable effects, with which are joined the fires at the summit of the Eiffel tower, lighting the group of the Genius of France, borne on the vessel of the City of Paris, and overthrowing Routine and Ignorance on each side, while at the prow of the ship the Gaulish cock sings the success of the exposition, and while at the poop the Republic directs the rudder, we shall have said everything about the fountains, which are as marvelous as they are luminous.

We cannot finish without citing the names of those who, in the different parts of this work, have shown a remarkable activity, an extensive knowledge, and a talent beyond comparison, and to whom we are happy

to render homage by addressing our thanks to them for the courtesy that we always met with during the electric installation that we had charge of; they are Messrs. Alphand and Berger, the organizers; Mr. Hippolyte Fountaine, the promoter of electric lighting *par excellence*; Mr. Formigi, the architect; Messrs. Bechmann and Richard, whom we have already mentioned, and who directed the arrangement of the fountains; Mr. Meker, the inspector who superintended the central shops of the lifting machines of the city of Paris, assisted by Mr. Dallard, foreman in the construction of the apparatus; and finally, the sculptor Coutan, who crowned the work by a composition whence emanate all the grace, flexibility, elegance, and vigor of French art, from which he has borrowed with his whole soul, contrary to the practice of some artists of too often imitating Greek art as soon as it becomes a question of allegories.

Finally, all have given proof of an indefatigable ardor, all feeling the importance of the work that they were doing; all, the workmen included, have had but one end in view—the success of the exposition, for such success is the triumph of the genius of France.—D. Napoli, in *La Nature*.

Virginia Mince meat.

The wife of Gov. Fitzhugh Lee, of Virginia, is a famous housekeeper, and this is how she says she makes the mince meat for her Thanksgiving pies: Two pounds beef, two of currants, two of raisins, one pound of citron, two of beef suet, one and a half of candied lemon peel, four pounds apples, two of sultana raisins, two of sugar, two nutmegs grated, quarter ounce cloves, half ounce cinnamon, quarter ounce mace, one quart sherry or good home-made currant wine, one quart good brandy, one teaspoonful of salt, the juice and rind of two lemons and two oranges. Simmer the meat gently till tender, and when perfectly cold chop it fine. Stone the raisins, shred the citron, pare, core, and chop the apples, chop the suet fine. Mix the dry ingredients together, then add the juice and rinds of the oranges and lemons. Pack in a stone jar, pour on the wine and brandy, cover close, and keep cool. This mince meat will keep all winter. When wanted for pies, thin with cider or wine. The rule is an old one, and is said to have come from the Custis family in the beginning. According to Virginia tradition the Widow Custis, who became Mrs. Washington, made famous mince pies.




Fig. 2.—FRENCH SYSTEM OF ILLUMINATING WATER JETS.




Fig. 5.—SUBTERRANEAN CHAMBER OF THE LUMINOUS FOUNTAIN.

RECENTLY PATENTED INVENTIONS.

Engineering.

PETROLEUM MOTOR ENGINE.—Karl Gramm, Berlin, Germany. This invention provides a novel apparatus by which the explosive mixture is produced and introduced into the cylinder of the engine by causing a jet of air to take up a certain quantity of petroleum, which mixes in the form of a spray, the mixture being then carried into the heated cylinder.

Railway Appliances.

CAR STARTER.—Samuel J. Pearsall, Saratoga Springs, N. Y. A toothed wheel on which are pivoted spring pawls is held loosely on one of the axles, and a ratchet wheel is secured to the axle, a sprocket chain engaging the toothed wheel, and a spring connected at one end to the sprocket chain and at its other end to the car, whereby power may be stored up by the operator on the platform as desired, to be utilized when needed in starting the car.

DOG FOR LOG CARS.—Robert J. Thompson, Grandin, Mo. This is an attachment in which a series of dogs is arranged to be raised or lowered simultaneously, and the dogs upon either side of the body may be manipulated independently, whereby logs may be effectually retained in position on the body of a car or wagon or other log carrier, and expeditiously released therefrom at the proper time.

CAR JOURNALS.—James K. Hardwicke, Marshall, N. C. This is a device for automatically oiling and cooling journals and bearings, and automatically cleaning them from gum or other matter in case of overheating, a reservoir with valve communicating with the journal box, and an operating mechanism extending outside of the box to be operated at stated intervals by projections along the roadway.

Mechanical.

PLANE.—Wilhelm Meister, Apolda, Saxe-Weimar-Eisenach, Germany. This is a carpenter's plane in which the bit opening extends part way toward the top of the stock, and through its sides for the escape of shavings, the bit having a slot open at the rear end, and a bed plate, clamping plate and screws, the latter having heads with cross slots, making a plane in which the bit will be effectively held from slipping.

TOOL HOLDER.—Henry Schoncke, Oceanus, N. Y. This is a holder specially designed for holding a tool in proper position for grinding on a wheel, and has standards, forwardly projecting tool holder arms, a T-shaped spring with its transverse arms bearing upon the arms, a cross piece connecting the standards above the spring, and a set screw projecting through the cross piece against the upper side of the spring.

TOOL.—John L. Painter, Bellevue, Ohio. This is a combination implement comprising a series of wrenches of different sizes, each capable of independent use. A wire cutter, pliers, and a screw driver, the tool being especially adapted for use in connection with self-binding harvesters and similar machines, and being simple in construction and capable of easy manipulation.

BELT CARRIER.—Thornton M. Nichols, Lexington, Mo. This invention provides a belt-carrying frame adapted to be held on the rim of the wheel or pulley, a clamping mechanism being held on the frame and adapted to engage and release the rim of the wheel, being a simple and effective device for conveniently placing the belt on the pulley.

GUDGEON FOR SAND REELS.—William Richards, Mayburg, Pa. This is an improved gudgeon for drilling machine sand reels, and is light and durable and designed to prevent the ends of the tubular reel shaft from splitting, the gudgeon being held locked to the shaft under the severest pressure upon the friction pulleys of the reel.

PICKER CHECK FOR LOOMS.—Robert Whitehouse, New York City. This is a checker or bunter having an elastic cushion, and capable of ready attachment to and detachment from a loom, whereby the shock or concussion from the contact of the shuttle with the picker will be largely reduced, and the shuttle binder need not be so tightly adjusted as heretofore.

WINDMILL.—James E. Duncan, Forman, North Dakota. This invention consists of a horizontal windwheel turning loosely in an aperture formed in the bottom of a casing mounted to turn, and provided with an adjustable inclined cover for guiding the wind to the wheel, the construction being simple and durable and very effective in operation.

PRINTING AND RULING MACHINE.—James W. Dickieson, Brooklyn, N. Y. This invention combines a printing press with a ruling machine in such manner that the press constitutes the feed of the ruling machine, the paper being first printed and then ruled, whereby it is designed to produce work superior to that which can be done when the paper is first ruled and then printed.

BENDING VEHICLE SHAFTS.—Thomas E. Montague, West Lorne, Ont., Canada. This invention relates to machines for bending the shafts or tillers of carriages or other vehicles, and covers improvements on a former patented machine of this class of the same inventor, whereby the machine is made more simple and automatic, enabling the shafts to be bent with greater economy of time and labor.

Miscellaneous.

SASH FASTENER.—Henry P. Bulloch and William L. Grogan, Jonesborough, Texas. Combined with the upper and lower sashes is a spring secured to the lower sash and provided with a friction roller on its free end engaging the upper sash, permitting of conveniently raising and lowering the sashes and holding them at any desired place in the window frame.

EXTENSION MATTRESS.—Edwin R. Weber, New York City. This mattress has flexible longitudinal metallic strips connected by metallic cross strips and extensible end portions, consisting of elastic V-shaped brace strips, with other novel features, whereby the mattress may be extended or shortened without interfering with the springs, will be firmly braced at the ends, and may be rolled up.

MOSQUITO CANOPY.—Harriet B. Kip, Morristown, N. J. The head plate is made in two sections, hinged together at the side flanges and adapted to fold one on the other to form a box to receive the netting fabric, the apparatus being designed to fold in very small space for convenient transportation, and to be readily unfolded and set up for use over a bed, sofa, or chair.

HOOP STAY FOR BUCKETS, ETC.—William S. Pollitt, Crested Butte, Col. Combined with the vessel is a stay consisting of a strip of metal having brackets arranged in pairs projected from the outer face, with other novel features, for retaining the hoops in proper position should the wood shrink, and whereby the hoops may be tightened when desired, in a convenient and expeditious manner.

GAUGE FOR LANTERNS.—Eugene D. Scribner, Northville, N. Y. In the side of and in communication with the oil reservoir a metal tube is secured, and in this tube is secured a glass tube, whereby the amount of oil in the reservoir may at all times be accurately ascertained, so that in filling the danger of overflowing the lantern at the opening may be avoided.

COVERED CART.—Philip Bourne, No. 748 Monroe Street, Brooklyn, N. Y. This is a cart which is necessarily closed when the driver stands upon the foot board, the cart body being provided with hinged covers or lids and a sectional movable foot board, the connections being so arranged between the foot board and the covers that when the foot board sections are pressed down the covers will be closed, preventing the blowing away or the losing of any of the contents of the cart.

SCIENTIFIC AMERICAN
BUILDING EDITION.

DECEMBER NUMBER.—(No. 50.)

TABLE OF CONTENTS.

1. Elegant plate in colors of a cottage for \$1,000. Perspective elevation, floor plans and details.
2. Plate in colors of \$1,500 cottage. Floor plans, perspective elevation and details.
3. View in colors of the residence of C. W. Miller, Esq., Tompkinsville, N. Y. Cost about \$20,000. Plans, elevations, details, etc. E. A. Sargeant, architect.
4. Colored plate of the residence of E. Bridgeman, Esq., Staten Island, N. Y. Cost about \$18,000. Floor plans, elevations, etc. E. A. Sargeant, architect.
5. A cottage erected at Larchmont Manor, N. Y., at a cost of \$1,500 complete. Perspective elevation and floor plans.
6. The new Bourse or Commercial Exchange at Paris, designed by M. Berteault; interior and exterior views. Cost \$1,400,000.
7. A cottage recently erected at Larchmont Manor, N. Y., at a cost of \$3,000. Floor plans and perspective. Architect W. Holman Smith, New York.
8. Cottage at Larchmont Manor, N. Y., erected at a cost of \$4,500 complete. Floor plans and perspective. Architect Henry Kilburn, New York.
9. A very attractive cottage at Iselin Park, New Rochelle, N. Y., at a cost of \$3,400 complete. Plans and perspective.
10. Residence at Holyoke, Mass. Cost \$5,500 complete. Perspective elevation and floor plans.
11. Engraving and ground plan of a church at Rutherford, N. J.
12. Residence at Larchmont Manor, N. Y. Cost \$5,800 complete. Plans and perspective.
13. A cottage at New Rochelle, N. Y. Cost \$6,000. Plans and perspective.
14. A dwelling at Roseville, N. Y., recently erected at a cost of \$8,000. Floor plans and perspective elevation.
15. A residence at Bedford Park, N. Y. Cost \$6,000 complete. Perspective and floor plans.
16. Design for a library and reading room for a country town.
17. Design for a cottage to cost about \$3,000.
18. Elevation and plan of two workmen's houses at Paris exposition.
19. Design for a house at Roselynn, Thames Valley, England.
20. Design for a house at Woodlands, Thames Valley.
21. Miscellaneous Contents: Artistic wood decorations.—Improved wood-working machinery, illustrated.—The Caldwell sash balance, illustrated.—An improved sash chain, illustrated.—Decorative household work.—The Fuller & Warren warming, ventilating and sanitary construction.

The Scientific American Architects and Builders Edition is issued monthly. \$2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming, practically, a large and splendid MAGAZINE OF ARCHITECTURE, richly adorned with elegant plates in colors and with fine engravings, illustrating the most interesting examples of Modern Architectural Construction and allied subjects.

The Fullness, Richness, Cheapness, and Convenience of this work have won for it the LARGEST CIRCULATION of any Architectural publication in the world. Sold by all new dealers.

MUNN & CO., PUBLISHERS,
361 Broadway, New York.

Business and Personal.

The charge for insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

Mothers Invention—Bedclothes fastener. See advertisement, page 381.

Experienced topographical engineer desires position as first draftsman in an office. L. H., 40 S. Washington Square (2d flat), New York.

Machine tools, catalogue No. 47-B; wood-working machinery, catalogue No. 52-A; steam power, catalogue No. 48. Largest lines offered by any firm in this country. Send for best prices, stating exactly what you want. S. C. Forsyth Mach. Co., Manchester, N. H.

Capital will be furnished to place on the market a patented article of undoubted merit. Address, with particulars, box 123, Cleveland, O.

Best Ice and Refrigerating Machines made by David Boyle, Chicago, Ill. 140 machines in satisfactory use.

For best hoisting engine. J. S. Mundy, Newark, N. J.

Guild & Garrison, Brooklyn, N. Y., manufacture steam pumps, vacuum pumps, vacuum apparatus, air pumps, acid blowers, filter press pumps, etc.

For the latest improved diamond prospecting drills, address the M. C. Bullock Mfg. Co., Chicago, Ill.

Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J.

The Holly Manufacturing Co., of Lockport, N. Y., will send their pamphlet, describing water works machinery, and containing reports of tests, on application.

Turk water motors at 12 Cortlandt St., New York.

Screw machines, milling machines, and drill presses. The Garvin Mach. Co., Laight and Canal Sts., New York.

Iron, Steel, Copper, and Bronze Drop Forgings of every description. Billings & Spencer Co., Hartford, Conn.

The Improved Hydraulic Jacks, Punches, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

Models, experimental work, and light machinery constructed to order. N. Erlenden, 107 Livingston St., N. Y.

Safety Elevators, steam and belt power; quick and smooth. The D. Frieble Co., 112 Liberty St., New York.

Tight and Slack Barrel Machinery a specialty. John Greenwood & Co., Rochester, N. Y. See illus. adv., p. 173.

For steel castings of best quality, write the Buffalo Steel Foundry, Buffalo, N. Y.

Belting.—A good lot of second hand belting for sale cheap. Samuel Roberts, 369 Pearl St., New York.

Send for new and complete catalogue of Scientific and other books for sale by Munn & Co., 361 Broadway, New York. Free on application.

Notes & Queries

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information, and not for publication.

References to former articles or answers should give date of paper and page or number of question. Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and though we endeavor to reply to all, either by letter or in this department, each must take his turn.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each. Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked or labeled.

(1614) G. E. H. asks: 1. Would electric light carbons arranged in the form of a cylinder, or twelve of them in a bunch, make the carbon element for a plunger battery? A. Yes. See SCIENTIFIC AMERICAN, Oct. 27, 1888, and Dec. 17, 1887. 2. I have several hundred of the carbons not copper-plated. I am making a twelve-cell battery, and propose to use 12 carbons in cell. What will be the number of volts per cell, and what candle power light would it run? A. About 2 volts per cell. You can probably run one sixteen candle lamp for two or three hours. 3. How long would a sal-ammoniac battery run with a carbon and zinc element and no depolarizer? A. It would work for a few minutes at a time. 4. How can I prepare a wood cell for a plunger battery, to take the place of glass? A. A cell made of dry pine, well saturated with paraffin, answers very well. 5. Would one ounce of No. 18 and four ounces of No. 36 copper wire make an induction coil large enough for practical purposes in medicine? A. Yes.

(1615) S. B.—There is no absolute distinctive mark for the ecliptic boundaries of the zodiacal constellations further than the general assignment of 30° each, commencing at the vernal equinox as it existed about 2,150 years ago. The precession of the equinoxes in the mean time has carried the constellation back about 30°, so that the vernal equinox is now in the first point of the constellation Pisces.

(1616) A. B. asks: 1. Will cast iron rings answer for the armature of the 8 light dynamo? A. No. 2. What is the base of the machine composed of? A. Wood. 3. Can No. 12 double-covered wire be used to convey the current a distance of 150 feet? A. Yes; but office wire would be better.

(1617) C. T. asks: What heat is required to bake chinaware after painting? A. A strong red to orange heat.

(1618) Beaker writes: Will you state the length of German silver wire for the resistance of one ohm No. 26 American wire gauge at the temperature of 70 degrees Fahrenheit, and also the increase in resistance for each degree (Fahr.)? A. Approximately 1.794 feet. Its change per degree Centigrade may be calculated from following formula:

$$R = r(1 + \alpha t + \beta t^2)$$

in which R = resistance at t° , r = resistance at 0° C., and $\alpha = 0.004493$ and $\beta = 0.00000152$.

(1619) T. H. writes: 1. There is a spring on one of the tributaries of the Allegheny River which when the sediment in the bottom is agitated becomes luminous like a friction match when damp. Are such springs known elsewhere? Is there such a thing as phosphorus in a mineral state? A. It is undoubtedly due to organic matter in a state of decay, being the same phenomenon as presented by decaying wood or putrefying fish. Similar manifestations are quite common, but phosphorus has nothing to do with most of them. It does not occur in the free state in nature. 2. Does distilling water purify it? I once heard a distiller say that any foreign matter with a strong odor put in a doubling still would show itself, both in taste and smell, in the liquor. A. Yes; from non-volatile matter; the distiller was right, as volatile matter goes over with the distillate, and to some extent is recondensed or reabsorbed in it. 3. Is rubber in making shoes put on the mould in a hot or melted state? A. It is vulcanized in place. See our SUPPLEMENT, Nos. 249, 251, and 252, for lectures on India rubber. 4. Why will not red hot or a hot coal ignite illuminating gas? A. The heat is not intense enough when it fails to ignite gas.

(1620) H. A. A. writes: 1. Is there any preparation that will turn the hair gray without injury to the scalp or the texture of the hair? A. Binoxide of hydrogen will bleach hair, and if properly applied need not do permanent injury, though it might affect the follicles to some extent. It is sold under various names, as hair bleach, etc. 2. Where can I get a dictionary of electrical terms and phrases? A. We can supply you with Houston's Dictionary of Electrical Terms for \$2.50 by mail.

(1621) G. R. C. asks: 1. Is there such a thing as noiseless gunpowder, and if so, upon what theory is the fact of there being no noise (or very little noise) explained? A. There is no such thing. It is easy to understand that there may be a difference in noise or detonation, and a more perfect powder may be less noisy than a cruder preparation. 2. How may glass disks of ordinary window glass be punctured to fit a shaft or mandrel? A. By a tube of copper guided in a frame and turned by a common brace, its edge being fed with emery and oil. A cork cemented with sealing wax to the glass and fitting the interior of the tube may be used to center it.

(1622) E. M. S.—Pot-pourri is a mixture of dried petals of roses, violets, etc., mixed with 1-10 its weight of salt. The leaves of fresh roses, etc., are collected and dried on porous paper in the sun; as soon as dry they are placed in a jar in layers alternating with the salt. Powderedorris root and extracts and many other ingredients may be added according to taste.

TO INVENTORS.

An experience of forty years, and the preparation of more than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess unequalled facilities for procuring patents everywhere. A synopsis of the patent laws of the United States and all foreign countries may be had on application, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices, which are low, in accordance with the times and our extensive facilities for conducting the business. Address MUNN & CO., office SCIENTIFIC AMERICAN, 361 Broadway, New York.

INDEX OF INVENTIONS

For which Letters Patent of the
United States were Granted

November 26, 1889,

AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Absorbent burner for liquid fuel, F. M. Lytle.....	416,114
Advertising apparatus, H. V. & F. W. Lancaster.....	415,872
Air and gas burner, J. M. Walters.....	416,130
Air compressor, H. C. Sergeant.....	415,822
Air compressor, hydraulic, Weyand & Lang.....	415,931
Album leaf, B. Fuchs.....	415,942
Anchor block for buildings, W. Kruse.....	415,840
Animal catching and holding device, W. Becraft.....	416,046
Annunciator, electrical, C. E. Lee.....	415,915
Apron, C. W. Frisbee.....	415,897
Armature, W. S. Belding.....	415,697
Armature for electric machines, W. S. Belding.....	415,806
Armature plate, W. S. Belding.....	415,696
Armature, coil guard for, W. S. Belding.....	415,698
Automatic lubricator, F. Keller.....	416,062
Axle car, J. E. Blackmore.....	415,966
Bag holder, F. W. Weber.....	415,803
Bales, device for compressing, binding, and securing cotton, F. E. Town.....	415,850
Banjos or guitars, bell attachment for, Koenig & Van Cleave.....	416,064
Banjos or guitars, capodastro for, Gill & Kilber.....	416,057
Bank note holder, F. O. Young.....	415,763
Baseball, D. M. Shibe.....	415,884
Battery. See Galvanic battery. Secondary battery.	
Battery jars, composition for lining electric, O. A. Bohm.....	416,362
Bed, folding, I. Osgood.....	416,010
Bed, wardrobe, A. Linee.....	415,724
Bedstead, cabinet, F. H. Hungus.....	415,945
Belt carrier, T. M. Nichols.....	415,921
Bicycle, F. Schrader.....	416,016
Binders, knotted for self, Whiteley & Bayley.....	415,754
Bit. See Extension bit.	
Block. See Anchor block. Building block.	
Boat. See Fishing boat.	
Boiler. See Steam boiler.	
Boiler, E. Beggs.....	415,894
Boiler, J. Devine.....	415,788
Boiler, E. P. Waggoner.....	416,129
Bollard or mooring post, H. Fletcher.....	415,965
Bolt lock, E. D. Galbreath et al.....	415,711
Book, A. B. Skinner.....	415,798
Book, shipping or other, G. H. Wheeler.....	415,932
Bottle stopper, self-adjusting, Cohn & Watson.....	415,939
Box. See Feed box. Journal box. Letter box.	
Miter box. Paper box.	
Brake. See Car brake.	
Brake, J. R. Wilson.....	415,833

Brake shoe, C. W. Roepper.....	415,736	Elevator safety device, J. Hatch.....	416,000	Levee or ditching machine, A. Wilfert.....	416,084	Show windows, device for supporting articles in.	
Brick, G. M. Fiske.....	415,773	Elevator safety device, E. Lainesee.....	416,112	Lifter. See Pot or lid lifter.		Kerr & Hodges.....	415,912
Brickwork construction, G. M. Flake.....	415,772	Engine. See Petroleum motor engine. Rotary engine.		Lifting jack, F. B. Brock.....	415,703	Sickle bars, implement for holding, J. C. Gentry.....	415,712
Bridge, G. N. Clymer.....	416,064	Engine, N. H. Edgerton.....	416,147	Light. See Headlight.		Sign, J. P. Rolly.....	416,075
Bridges, traction cable for drawl W. Filatrault.....	416,098	Engine spring ends, die for making, G. H. Smith.....	416,017	Liquid releasing device, coin-operated, L. B. Norcross.....	416,121	Signal. See Railway semaphore signal.	
Bucket elevator for flouring mills, W. J. Parry.....	415,819	Envelope machine, C. H. Heywood.....	416,105	Liquor cooler and holder, combined, J. Gordon.....	415,777	Skirt elevator, dress, G. W. Way.....	416,022
Building block, J. S. Gooding.....	415,967	Extension bit, W. S. Whiting.....	415,988	Lock, See Bolt lock. Can lock. Electric lock.		Smoke consuming furnace, D. Clegg.....	415,359
Burner. See Absorbent burner. Air and gas burner. Gaseous fuel burner. Lamp burner.		Extractor. See Juice extractor.		Nut lock.		Soda water fountain, A. D. Puffer.....	415,883
Button, cuff, M. P. Woods.....	415,700	Extracts, making, J. W. Hyatt.....	416,107	Lock, E. Hamburjer.....	415,816	Sole, J. N. Moulton.....	416,118
Button, spring, G. H. Fox.....	415,775	Fan, centrifugal, F. Peller.....	416,070	Loom for weaving with short werts, I. Lindsey.....	415,723	Sower, seed, C. W. Sorensen.....	416,127
Cable coupling, underground, B. H. Weeslau.....	416,143, 416,144	Fau for ventilation, H. C. Koonts.....	415,839	Loom let-off motion, J. Wilkinson.....	416,025	Spark conductor, K. H. Carper.....	415,871
Cable sheaves, oiling and adjusting device for, W. Phenix.....	415,792	Fan, power-actuated, J. Poulson.....	415,917	Loom picker check, R. Whitehouse.....	415,753	Speaking tubes, sound receiver for, R. Walsh.....	415,929
Cables, joint for coupling underground, B. H. Weeslau.....	415,752	Feed box for poultry, A. S. Sherman.....	415,942	Loom picker stick, L. K. Bryant.....	415,810	Spinning machine spindle driving device, J. E. Tynan.....	415,827
Cables, joint for coupling underground, Weeslau & Trautwein.....	415,751	Feed water purifier and scale arrester, B. F. Field.....	416,032	Loom shuttle, C. E. Briggs.....	415,702	Spring. See Vehicle spring.	
Cake mixer, N. L. Barron.....	415,893	Fence, W. H. Sheffield.....	415,741	Loom shuttle motion, Murphy & Broadhead.....	415,879	Steam boiler, sectional, N. W. Pratt.....	415,976
Calendar, B. F. Billings.....	416,027	Fence, C. H. Wiman.....	416,026	Lubricator. See Automatic lubricator.		Stereotype plates, machine for bending, W. Scott.....	415,891
Can heading machine, E. E. Angell.....	415,993	Fence machine, J. A. Minnick.....	415,843	Manganese bronze and alloy of commerce, A. H. & E. H. Cowles.....	415,832	Stong, artificial, A. C. Pontor.....	415,794
Can heading machines, head holding jaws for, E. E. Angell.....	415,992	Fence making machine, Parker & Landers (r).....	11,044	Mash machine and grain remover, G. Riesack.....	415,796	Stopper. See Bottle stopper.	
Can lid holder, A. Dom.....	416,096	Fender. See Plow fender.		Mat. See Door mat.		Stove, cooking, R. S. Carr.....	415,938
Can lock, milk, J. D. Cael.....	416,049	File, cabinet, J. D. Hubbard.....	415,782	Match making machine, W. Bond.....	416,028	Stove, heating, Bennett & Muller.....	416,089
Candlestick, H. Becker.....	416,045	File, letter, J. F. Jash.....	416,036	Match splints, machine for cutting and filling, M. Young.....	415,834	Stove, vapor burner, H. Ruppel.....	416,040
Candlestick, grocers, Smith & Dill.....	416,042	Filter and water purifier, F. Stiles.....	415,927	Mattress, extension, E. R. Weber.....	416,023	Strength tester, coin-controlled, G. Soeding.....	415,949
Car brake, J. B. Z. Dumais.....	415,998	Filter apparatus, O. Rieck.....	416,076	Mechanical movement, M. C. Jackson.....	415,783	Supporter. See Garment supporter.	
Car coupling, J. M. Bouck.....	415,809	Fire escape, L. Hill.....	415,887	Meter. See Electric meter.		Swivel joints, making tubular, C. L. Bastian.....	415,694
Car coupling, N. Boudreau.....	415,701	Fire kindler, S. S. Bobet.....	415,808	Mill. See Crushing mill. Rolling mill. Sawmill.		Table. See Folding table.	
Car coupling, J. C. Chrisman.....	415,706	Fire kindler, P. L. Randall.....	415,734	Miter box, H. E. Davis.....	415,940	Tacks, nails, etc., mechanism for distributing, J. E. Matzinger.....	415,726
Car journals, device for lubricating, cooling, and cleaning, J. K. Hardwicke.....	415,910	Fishing boat, E. Sindle.....	415,737	Mould. See Glass mould.		Tag fastener, C. M. Richardson.....	415,979
Car starter, P. Flood.....	415,835	Flushing apparatus, siphon and trap for, L. M. Hawley.....	415,911	Mole trap, W. B. Mills.....	415,728	Telemeter, induction, P. Moennich.....	416,006
Car starter, J. J. A. Miller.....	415,727	Flushing, automatic, H. C. Weeden.....	416,135	Mosquito net, H. B. Kip.....	415,913	Telephone receiver, J. W. Bonia.....	415,700
Car starter, S. J. Pearsall.....	415,924	Flushing by electricity, automatically, H. C. Weeden.....	416,138	Motor. See Hydraulic motor.		Tent and attachment, E. M. Turner.....	415,826
Car, stock, Davis & Fleber.....	415,767	Flushing device, H. C. Weeden.....	416,131	Multiple switch board circuit, J. J. Carty.....	415,765	Theater appliance, O. O. Leabhart.....	415,721
Car, stock, M. D. Moore.....	415,878	Flushing device, automatic, A. P. Browne.....	416,091	Musical instruments, machine for playing upon, C. S. Crawford.....	416,093	Thermo-electric indicator, Weesebrock & Huber.....	415,756
Car wheel, J. O. Patridge.....	416,069	Flushing device, automatic, H. C. Weeden.....	416,136, 416,137, 416,140, 416,141	Nut lock, M. Kane.....	415,766	Tidy holder, J. R. & J. Ferguson.....	415,770
Cars, dog attachment for log, R. J. Thompson.....	416,128	Flushing device for urinals, automatic, H. C. Weeden.....	416,143	Ore concentrator, C. H. Voll.....	416,021	Tie. See Railway tie.	
Cars, system of heating railway, J. Elder.....	415,907	Flushing tank device, automatic fore-and-aft, H. C. Weeden.....	416,132	Overshoe, J. S. O'Hara.....	415,922	Tire bolt, wrench, A. Worden.....	415,761
Carburetor for gas engines, D. S. Rowan.....	415,978	Flushing the bowls of urinals, etc., automatically, H. C. Weeden.....	416,142	Packing, piston rod, W. Grob.....	416,068	Tiretightener, J. McAllister.....	416,089
Carding engine feeding machine, L. A. Peckham.....	416,123	Fly paper, package of, O. & W. Thom.....	416,019	Pail, mop wringer, E. A. Wood.....	416,087	Toilet lotion, E. C. Summerbayes.....	415,849
Carpet sweeper, W. J. Drew.....	415,903	Folding table, H. S. Lee.....	415,641	Paint, casein, H. C. Freist.....	416,100	Toluidine blue, manufacture of, Dandliker & Bernthsen.....	416,065
Carpet sweeper, Gore & Ru Ton.....	416,101	Fork. See Hay fork.		Padut, roofing, Freshour & Lake.....	415,968	Tongue tip, vehicle, H. De Tamble.....	415,860
Carriage step, J. Pendergast.....	415,789	Fountain. See Soda water fountain.		Pantry slides, rotating self-closing case for, N. S. Wood.....	416,146	Tool, J. L. Painter.....	415,923
Carriage top, Merrell & Thomas.....	415,875	Frame. See Photograph frame.		Paper bags, machine for the manufacture of, A. L. Stevens.....	415,950	Tool clamp, G. F. Hall.....	415,969
Carrier. See Belt carrier. Sheaf carrier.		Frigoiric apparatus, R. P. Pictet.....	415,881	Paper box, H. W. Deming.....	415,868, 415,869	Tool holder, H. Schoncke.....	415,926
Cart, ash, P. Bourne.....	415,896	Furnace. See Glass furnace. Hot air furnace.		Paper box handle, W. D. Smith.....	416,075	Tooth regulator, E. H. Angle.....	415,829
Cart, road, Main & Burnaugh.....	415,725	Portable furnace. Smoke consuming furnace.		Paper feeding mechanisms, automatic regulator for, J. A. M. Ross.....	415,877	Trace attachment, W. F. Turman.....	415,928
Cartridge case, dampproof, Butterfield & Batchelor.....	415,989	Galvanic battery, O. A. Enholm.....	415,963	Pen, fountain, J. Holland.....	415,838	Tramway with vertical tracks, C. Zipsenowsky.....	415,981
Cash indicators, key arrester for, C. B. Hopkins.....	415,781	Galvanic battery, G. Otto.....	415,975	Pen holder rest, T. H. Logan.....	416,003	Trap. See Mole trap.	
Cash register, L. D. Boyer.....	416,029	Garment supporter, J. M. March.....	415,978	Petroleum motor engine, K. Gramm.....	415,908	Trimmer. See Raud trimmer.	
Cash register, T. Munnell.....	416,119	Gas check, T. Angell.....	415,904	Photograph frame, G. W. Gilbert.....	415,713	Trimmings for the edges of fabrics, making, J. D. Morley.....	415,974
Cash register, J. E. Reynolds.....	416,125	Gas generating apparatus, Boeken & Wright.....	416,047	Pipe outer, J. Hammerand.....	415,714	Trough. See Eaves trough.	
Casting printers' rollers, apparatus for, M. F. Bingham.....	415,865	Gas or fluid by steam pressure, apparatus for regulating the flow of, G. C. Jackson.....	416,080, 416,081	Pipe elbow die, C. B. Cooper.....	416,031	Truck, car, W. S. G. Baker.....	415,892
Cattle deboning device, W. J. Bogard.....	415,906	Gaseous fuel burner, T. A. Bryan.....	415,704	Plane, W. Meister.....	415,918	Truss, M. Hutchins.....	416,001
Centrifugal machines, means for operating, W. Berzh.....	415,698	Gate. See Elevator gate. Railway crossing gate.		Plow attachment, T. J. & W. J. Baker.....	415,892	Tubes, manufacture of, J. Robertson.....	416,007
Change receiver, C. L. Bellamy.....	415,807	Gear wheel, W. N. Whiteley.....	415,766	Plow attachment, B. F. King.....	416,111	Tubes, method of and means for making, J. Robertson.....	416,014
Chimney cover, G. Lhoté.....	415,916	Glass articles, mould for making, S. Washington.....	415,902	Plow fender, W. H. Trammel.....	415,887	Twine, B. P. Clark.....	416,082
Chlorine, obtaining, Mond & Eschellmann.....	416,038	Glass furnace, A. G. Neville.....	416,008	Plow gang, H. Squire.....	415,900	Valve, T. S. Bishop.....	415,899
Chromium sulphates, making, H. A. Seegall.....	415,730	Glass mould, G. M. Swift.....	415,968	Plovers, jointer arm for, E. M. Hickman.....	415,866	Valve, J. E. Fahy.....	415,884
Chute, coal, D. H. Henkels.....	415,970	Glassware, tool for starting and crimping, H. Frans.....	416,039	Pocket case, W. B. White.....	415,852	Valve apparatus for vacuum railway brakes, J. Gresham.....	415,968
Chute, coal, F. G. Smith.....	415,918	Grain binder, automatic, W. N. Whiteley.....	415,757	Pole tip, vehicle, J. Boylan.....	415,830	Valve, electro-automatic, M. A. & A. S. Kiasell.....	415,871
Cigar bunching machine, F. J. Hagen.....	415,943	Grain binders, knotting device for, Whiteley & Bayley.....	415,758	Portable furnace, J. N. Miller.....	416,068	Valve, gate, J. Galvin.....	415,776
Cigar bunching machine, F. C. Miller.....	416,065, 416,066, 416,117	Grain separator, A. J. Stoid.....	415,769	Portable heater, H. L. McCoy.....	415,730	Vegetable cutter, rotary, M. E. Richter.....	415,847
Clamp. See Tool clamp.		Grate, revolvable, H. Nicoll.....	415,731	Potor lid lifter, W. F. Kendrick.....	416,068	Vehicle seat, G. W. Kerr.....	415,971
Clock pendulum, G. P. Reed.....	415,735	Grinding machine, W. C. F. Stuckel.....	415,886	Poultry, pen for exhibiting, W. H. Drewitz.....	415,769	Vehicle seat loop, H. G. Olds.....	416,008
Clock, secondary electric, E. L. Slocum.....	415,148	Grinding plane surfaces, machine for, Hyde & Horner.....	416,109	Power. See Wave power.		Vehicle spring, J. D. Clegg.....	416,053
Clocks, electrical appliance for winding, F. A. Lane.....	415,817	Gun carriage, disappearing, S. H. Emmens.....	415,708	Power transmitting device, Best & Underwood.....	416,090	Vehicle wheel, P. P. De Bogory.....	416,086
Closet. See Dry closet. Water closet.		Hame, J. Letchworth.....	415,722	Presses, bale removing and heading-up attachment for, W. C. Hackett.....	415,909	Velocipede, W. P. Perry.....	415,790
Cloth folding and winding machine, Maguire & Cary.....	415,874	Hammock end holder, R. E. L. Iceman.....	416,110	Printing and ruling machine, combined, J. W. Dickleson.....	415,902	Velocipede, A. Sharp.....	416,740
Clothes drier, A. A. Smedstad.....	415,743	Handle. See Paper box handle.		Printing device, A. L. Stevens.....	415,935	Veterinary surgical instrument, H. B. Harter.....	415,715
Clutch, friction, L. B. Clapp.....	415,997	Hanger. See Curtain hanger. Insulating hanger.		Pulley, J. A. J. Shultz.....	415,948	Wagon bed raiser, J. A. Hughlett.....	416,059
Clutch, friction, F. C. Miller.....	416,067	Lamp hanger.....		Pulley, split, C. McNeal.....	415,930	Wagon body, P. V. Clark.....	415,968
Coffee, machine for mixing ground, O. Voigt.....	415,851	Harrow, revolving, C. Fox.....	415,813	Pump, compressor, E. Penney.....	416,071	Washing machine, S. Hake.....	415,865
Coffee roaster, T. B. C. Burpee.....	415,837	Harvester, grain binding, A. E. Ellinwood.....	415,862	Pump, double-acting, W. B. Jacobs.....	416,035	Washing machine, W. Whitcomb.....	415,828
Coffin fastener, W. C. Langenan.....	416,002	Hat tray, C. Fisher.....	415,964	Pump, duplex force, W. H. Grove.....	416,034	Washing machine, A. E. Young.....	415,763
Collar stuffing machine, horse, R. Brownson.....	415,937	Hay and grain stackers, elevating device for, F. M. Cropp.....	415,900	Punch, hand, S. Franols.....	415,836	Watch bow, H. T. Buck.....	415,966
Concentrator, G. Gates.....	415,989	Hay fork, L. T. Myers.....	415,729	Rack. See Crib rack.		Watch bow fastening, J. M. Calhoun.....	415,936
Cooler. See Liquor cooler.		Headlight, locomotive, E. Meredith.....	416,116	Railway crossing gate, J. W. Trammel.....	416,034	Watch case pliers, M. N. Coo.....	415,980
Cooler, P. L. Dermigny.....	415,901	Heater. See Portable heater.		Railway gates, separable electric conductor for, F. E. Fowler.....	415,710	Watch dial, applying characters and lines to, F. Schmals.....	416,015
Cooler for drinking glasses, portable, J. Sachs.....	415,980	Heating and ventilating houses, apparatus for, W. H. Drake.....	415,706	Railway semaphore signal, G. W. Reiff.....	416,074	Watch dial, machine for enameling, E. H. Ryan.....	415,737
Copper, electrolytically obtaining, H. A. Seegall.....	415,738	Heating apparatus, electric, C. E. Carpenter.....	415,856	Railway tie, S. F. Thomas.....	416,081	Water closet, D. L. Winnell.....	415,961
Cornet, H. W. Lyon.....	415,972	Hinge, J. U. Wise.....	416,044	Railway tie, chair, and clamp, C. F. Z. Caracristi.....	416,050	Water closet bowl, H. C. Weeden.....	416,139
Cotton, apparatus for cleaning and handling seed, W. E. Elam et al.....	415,861	Hinge, lock, W. S. McNeil.....	416,120	Railway track appliance, A. A. Strom.....	415,986	Water closet flushing apparatus, J. Kelly.....	415,889
Coupling. See Cable coupling. Car coupling.		Holding apparatus, W. A. Sharp.....	415,823	Railway vehicles, wheel for, W. Strondley.....	415,745	Water wheel, turbine, W. C. Meadows.....	415,842
Coupling sleeve, J. Willis.....	415,759	Holder. See Bag holder. Bank note holder. Can lid holder. Hammock end holder. Lantern holder. Sash holder. Tidy holder. Tool holder.		Rake. See Lawn rake.		Water power, A. W. Dowe.....	415,812
Creasing paper, straw board, etc., die for, L. A. Mayall.....	416,115	Hoop stay for buckets, etc., W. S. Pollitt.....	415,738	Rand trimmer, J. W. Plummer.....	416,011	Wheel, T. P. Oliver.....	415,787
Crib rack, F. C. Hannahs.....	416,102	Horse boot, P. J. Schild et al.....	416,041	Razor, safety, H. B. Leach.....	416,113	Windmill, C. Claypool.....	415,811
Crucible for lead furnaces, N. R. Wilson.....	416,085	Horsehoe, Rhonemus & Jones.....	415,735	Refrigerating machines, compressor pump for, E. Penney.....	416,072	Windmill, J. E. Duncan.....	415,804
Crushing mill, G. Friesebe.....	415,941	Horsehoe nails, manufacture of, W. W. Miner.....	415,818	Register. See Cash register.		Window, G. W. Keeler.....	415,946
Curtain hanger, D. Davis.....	415,838	Hose washing apparatus, H. Boynton et al.....	415,855	Regulator. See Tooth regulator.		Window screen, W. H. Thomas.....	416,083
Cutter. See Pipe outer. Vegetable cutter.		Hot air furnace, W. W. Kealey.....	415,870	Riveting, J. D. Strickler.....	415,885	Window screen, J. Woodhams.....	415,989
Decanting device, Brickenstein & Babendreier.....	416,048	Hot air furnace, D. S. Richardson.....	415,820	Rolling mill plants, heating furnace for, C. H. Morgan.....	416,007	Window sill, D. E. Strayer.....	416,080
Dentist's burr drill, E. T. Starr.....	415,963	Hub, vehicle, T. J. Reid.....	416,073	Rolling mill, rod, G. Jansson.....	415,784	Wire stretcher, J. M. Merritt.....	416,035
Dentist's mouth mirror, G. F. Pease.....	415,788	Hydrant, C. Hays.....	416,104	Rotary engine, D. Williamson.....	415,953	Wire ornamenting machine, W. M. Patt.....	415,880
Die. See Pipe elbow die.		Hydraulic motor, J. W. Garrett, Jr.....	415,083	Rule and protractor, combined, H. Horn.....	415,944	Wrench. See Tire bolt wrench.	
Distilling and desulphurizing hydrocarbon oil, process of and apparatus for, F. W. Minehall.....	415,876	Hydrostatic presses, actuating, J. H. Vaile.....	416,020	Rumbling machine, M. M. Smith.....	415,744	Yard stick and square, combined, W. Weisenger.....	416,024
Door check, Gay & Wixom.....	415,963	Hydrostatic presses, apparatus for actuating, J. H. Vaile.....	415,750	Sad irons, burner for self-heating, G. Heidel.....	415,716		
Doormat, T. J. & O. Q. Stille.....	415,801	Indicator. See Thermo-electric indicator.		Sash, adjustable window, C. Megow.....	416,004		
Draughting apparatus, G. F. Dyar.....	416,097	Insulating hanger, W. R. Park.....	416,122	Sash fastener, Bullock & Grogan.....	415,898		
Drawer guide, D. C. Clapp.....	416,030	Insulators, composition of overhead, S. H. Gibson.....	415,864	Sash holder, G. W. Powell.....	415,882		
Drier. See Clothes drier.		Jack. See Lifting jack.		Saw, B. F. Day.....	416,094		
Drill. See Dentist's burr drill.		Journal box for sheave wheels, W. Phenix.....	415,791	Saw, drag, J. H. Aleslagel.....	415,784		
Drilling machine and reels, gudgeon for, W. Richards.....	415,845	Juice extractor, J. W. Hyatt.....	416,106	Sawmill, band, D. C. Prescott.....	416,012		
Drilling railway rails, etc., machine for, E. N. Higley.....	415,790	Kaleidoscope, C. C. Clawson.....	416,082				
Dry closet, D. Smead.....	415,799	Knitted goods, machine for uniting, Hart & Wilkins.....	415,779				
Dust collector, G. R. Reeves.....	416,124	Knitting machine, circular, M. J. Dinneen.....	415,834				
Dyeing cotton, etc., machine for, L. Weldon.....	415,889	Knitting machine, circular, E. Lippitt.....	415,917				
Dyeing machine, wool, L. Weldon.....	415,880	Ladder, fire, C. B. Little.....	415,873				
Dyeing machine, yarn, L. Weldon.....	415,888	Lamp adjuster, hanging, W. F. Bradner.....	415,896				
Dyeing wool, apparatus for, L. Weldon.....	415,930	Lamp burner, F. A. Taber.....	415,952				
Dyes, making, R. Greville Williams.....	416,145	Lamp, carbureting, A. Kitson.....	415,914				
Eaves trough, J. Wock.....	415,864	Lamp hanger, adjustable, W. F. Bradner.....	415,897				
Egg beater, J. A. Perry.....	415,738	Lamp socket, incandescent, P. J. Chesagau.....	416,051				
Electric lock, G. A. Harter.....	416,108	Lantern, A. L. Baron.....	415,683				
Electric machine or motor, dynamo, A. L. Riker.....							

Advertisements.

Inside Page, each insertion --- 75 cents a line.
Back Page, each insertion --- \$1.00 a line.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.


USE ADAMANT WALL PLASTER



It is Hard, Dense, and Adhesive. Does not crack or peel. It is impervious to wind, water, and disease germs. It dries in a few hours. It can be applied in any kind of weather. It is in general use. Licenses granted for the mixing, using, and selling. Address

ADAMANT MFG. CO.
71 E. Genesee Street,
Syracuse, N. Y.

ICE-HOUSE AND COLD ROOM.—BY R. G. Hatfield. With directions for construction. Four engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, 59. Price 10 cents. To be had at this office and of all newsdealers.



"Star" Foot Lathe
Swings
24 in.
Screw Cutting
Automatic Cross
Feed, etc.
LATHE
Catalogue
Free of all our
Machinery.
Seneca Falls Mfg. Co., 695 Water St., Seneca Falls, N. Y.

THE COPYING PAD.—HOW TO MAKE and how to use. With an engraving. Practical directions how to prepare the copying pad, and also the plain ink by which the copies are made; how to apply the written letter to the pad; how to take off copies of the letter. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 434. Price 10 cents. For sale at this office and by all newsdealers in all parts of the country.

SEBASTIAN, MAY & CO'S
Improved Screw Cutting
Foot & **LATHES** \$60
Drill Presses, Chucks, Drills,
Dogs, and machinists' and am-
ateurs' outfits. Lathes on trial.
Catalogues mailed on application.
165 W. 2d St., Cincinnati, O.

CABINET WOODS
and **VENEERS**,
FRET SAW or BRACKET WOODS,
FLANED READY FOR USE
Send stamp for catalogue.
HENRY T. BARTLETT, 200 LEWIS STREET,
NEW YORK.

\$3 PRINTING PRESS
For cards, labels, etc. Circular press, \$3.
Size for small newspapers, \$4. Rotary
jobber, \$10. Do all your own print-
ing and advertising. Full printed rules
for type-setting, etc. Send 2 stamps for
catalogue of presses, type, cards, etc., to
factory. KELSEY & CO., Meriden, Conn.

ELECTRO MOTOR, SIMPLE, HOW TO
make. By G. M. Hopkins.—Description of a small electro
motor devised and constructed with a view to assisting
amateurs to make a motor which might be driven with
advantage by a current derived from a battery, and
which would have sufficient power to operate a foot
lathe or any machine requiring not over one man power.
With 11 figures. Contained in SCIENTIFIC AMERICAN
SUPPLEMENT, No. 641. Price 10 cents. To be had at
this office and from all newsdealers.

CONTRACTORS
WE MAKE THE
LARGEST LINE
OF ROAD GRADERS,
SCARPERS, PLOWES,
FOR CONSTRUCTION
IN THE
WORLD.
WELL TOOLS
WE MANU-
FACTURE THE
LARGEST LINE OF
WELLBORING
TOOLS
IN THE
WORLD.
CARPENTER ST., CARROLLAVE-CHICAGO ILL. U.S.A.

Scientific Book Catalogue

RECENTLY PUBLISHED.
Our new catalogue containing over 100 pages, includ-
ing works on more than fifty different subjects. Will be
mailed free to any address on application.
MUNN & CO., Publishers Scientific American,
361 Broadway, New York.

TYPEWRITERS

Send for New Illustrated Catalogue describing all Ma-
chines. Largest stock in America.
New or Second-hand Typewriters of all makes.
Machines Rented in any part of the country. Supplies in
abundance. Prices the lowest.
NATIONAL TYPEWRITER EXCHANGE,
161 La Salle Street, Chicago, Ill.

ASBESTOS
MINERS' MANUFACTURERS
The ASBESTOS PACKING CO.
169 CONGRESS ST. BOSTON

PRESSES. 50 to 500 TONS.
For almost every purpose. Gearing presses
BOOMER & BOSCHERT PRESS CO.
165 West Water Street,
Syracuse, N. Y., U. S. A.

PERFORATED METALS-MINING SCREENS.
COAL AND ORE SEPARATORS, REVOLVING AND SHAKING SCREENS.
JIGS & STAMP BATTERIES, MILLING-MINING MACHINERY.
HARRINGTON & KING PERFORATING CO. CHICAGO.

Push on the end of the handle and the screw goes in.



Two sizes—No. 1 \$1.25, No. 2 \$1.50.
For sale by all leading Hardware Dealers. Ask to see it.

SPECIAL NOTICE!

We have just issued a Catalogue and Price List
of Mining, Tunneling, and Quarrying Machinery.
This catalogue will be mailed free to contractors,
engineers, and to any one engaged or interested in
rock excavation or compressed air. To all other
persons it will be sent on receipt of 50 cents in
postage stamps.
INGERSOLL-SERGEANT ROCK DRILL CO.,
10 Park Place, New York.

ROCK DRILLS
AIR COMPRESSORS &
GENERAL MACHINERY FOR
MINING, TUNNELING,
QUARRY & RAILROAD WORK
RAND DRILL CO. 23 PARK PLACE NEW YORK

ICE-BOATS—THEIR CONSTRUCTION
and management. With working drawings, details, and
directions in full. Four engravings, showing mode of
construction. Views of the two fastest ice-sailing boats
used on the Hudson river in winter. By H. A. Horstall,
M.E. Contained in SCIENTIFIC AMERICAN SUPPLE-
MENT, 1. The same number also contains the rules and
regulations for the formation of ice-boat clubs, the sail-
ing and management of ice-boats. Price 10 cents.

CATALOGUES FREE TO ANY ADDRESS
TOOLS OF ALL KINDS
GOODWIN & NIGHTMAN BOSTON

ROB ROY LINEN HOSE
O. K. COTTON MILL HOSE & MILL SUPPLIES.



BOSTON WOVEN HOSE CO.
234 Devonshire Street, Boston.
222 Lake Street, Chicago.

HARRISON CONVEYOR!
For Handling Grain, Coal, Sand, Clay, Tan Bark, Cinders, Ores, Seeds, &c.
Send for Circular. BORDEN, SELLECK & CO., Sole Mfrs., Chicago, Ill.

WEITMYER PATENT FURNACE. BOILERS OF EVERY DESCRIPTION.
IDE AUTOMATIC ENGINES. Traction and Portable Engines.
STEAM ROAD ROLLERS.
Manufactured by FOUNDRY & MACHINE DEPT., Harrisburg, Pa., U. S. A.

VELOCITY OF ICE BOATS. A COLLEC-
tion of interesting letters to the editor of the SCIENTIFIC
AMERICAN on the question of the speed of ice boats, de-
monstrating how and why it is that these craft sail
faster than the wind which propels them. Illustrated
with 10 explanatory diagrams. Contained in SCIENTIFIC
AMERICAN SUPPLEMENT, No. 214. Price 10 cents. To
be had at this office and from all newsdealers.

Lightning Well-Sinking Machinery.
Makers of Hydraulic, Jetting, Revolv-
ing, Artesian, Mining, Diamond Tools,
Wells & Prospecting Engines, Boilers,
Wind Mills, Pumps, etc. \$200 on
TRIAL. An ENCYCLOPEDIA of
1,000 Engravings. Earth Stratifica-
tion, Determination of Mineral
and Quality of Water.
Gives Light, Finds Gold.
Mailed for 25 cts.
Gas Book 25 cts.
The American
Well Supply Co.,
AUBURN, ILL.

OIL WELL SUPPLY CO. Ltd.
91 & 92 WATER STREET,
Pittsburgh, Pa.
Manufacturers of everything needed for
ARTESIAN WELLS
for either Gas, Oil, Water, or Mineral
Tests, Boilers, Engines, Pipe,
Cordage, Drilling Tools, etc.
Illustrated catalogue, price
lists and discount sheets
on request.

ARTESIAN
Wells, Oil and Gas Wells, drilled
by contract at any depth, from 50
to 300 feet. Wells manufactured
and furnished everything required
to drill and complete same. Port-
able Horse Power and Mounted
Steam Drilling Machines for 100 to
600 ft. Send 6 cents for illustrated
catalogue. Pierce Artesian
and Oil Well Supply Co.,
80 Beaver Street, New York.

INVENTORS and others desiring new articles manufac-
tured and introduced, address P. O. Box 86, Cleveland, O.

Penberthy Automatic Injector.
Cost less than others and do equal work.
Lift 20 feet and work from head as well.
Restart themselves and require no watch-
ing. Will lift through hot pipes, work
from 25 to 150 lb. pressure. Parts re-
movable without disconnecting, also in-
terchangeable. Send for pamphlet.
Penberthy Injector Co., Detroit, Mich.
Donegan & Swifts, 174 Fulton St.,
New York.
Park & Lacy, San Francisco.
L. M. Rumsey Mfg. Co., St. Louis.

CUTLER DESK BEST IN THE WORLD.
A CUTLER & SON
SUFFOLK, N. Y.

THE MODERN ICE YACHT.—BY
Geo. W. Polk. A new and valuable paper, containing
full practical directions and specifications for the con-
struction of the fastest and best kinds of Ice Yachts of
the latest, most approved forms. Illustrated with en-
gravings drawn to scale, showing the form, position,
and arrangement of all the parts. Contained in SCIENTIFIC
AMERICAN SUPPLEMENT, No. 644. Price 10
cents. To be had at this office and of all newsdealers.

The Stevens Portable Mills
For CORN and FEED Grinding.
Genuine French BUHR STONES
POWER CORN SHELLER.
Prices below the lowest.
A. W. STEVENS & SON,
AUBURN, N. Y.
Also Mfrs. of Threshers and Engines.

21040 H. P. The MOTOR of 19th CENTURY.
Can be used Any Place, to do Any
Work, and by Any One. No Boiler!
No Fire! No Steam! No Ashes!
No Gauges! No Engineer! A per-
fectly safe Motor for all places and
purposes. Cost of operation about one
cent an hour to each indicated horse
power. For circulars, etc., address
Charter Gas Engine Co.
Supply, Safety, P. O. Box 148, Sterling, Ill.

ICE-HOUSE AND REFRIGERATOR.
Directions and Dimensions for construction, with one
illustration of cold house for preserving fruit from
season to season. The air is kept dry and pure through-
out the year at a temperature of from 34 to 36°. Con-
tained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 116.
Price 10 cents. To be had at this office and of all news-
dealers.

THE LUNKENHEIMER BRASS MFG CO
15 EAST EIGHTH ST. CINCINNATI
RE-GRINDING GLOBE & CHECK VALVES
GATE VALVES, POP SAFETY VALVES
SIGHT FEED LUBRICATORS OIL & GREASE CUPS
NEW CATALOGUE BRASS & PHOSPHOR BRONZE CASTINGS

ASBESTOS Fire Felt Coverings,
Packings, Sheathings, &c.
The CHALMERS-SPENCE CO., Mfrs.
419-425 8th Street, East River, N. Y.

Caligraph
LIFE SHORT WAY
Address: The American Writing
Machine Co., Hartford, Conn.,
New York Office, 237 Broadway.

REMINGTON
STANDARD TYPEWRITER.
Gold Medal—Paris Exposition, 1889.
Wyckoff, Seamans & Benedict
327 BROADWAY, NEW YORK.

REMINGTON
STANDARD TYPEWRITER.
Gold Medal—Paris Exposition, 1889.
Wyckoff, Seamans & Benedict
327 BROADWAY, NEW YORK.

NICKEL
AND
ELECTRO-PLATING
APPARATUS
AND
MATERIAL
HANSON VAN WINKLE & CO.
NEWARK, N. J.
92 LIBERTY ST. N. Y.

TORPEDO DISCHARGE TUBES.—A
full description of the mechanism and mode of opera-
tion of the Canet system of tubes for launching torpe-
does. With 10 illustrations. Contained in SCIENTIFIC
AMERICAN SUPPLEMENT, No. 716. Price 10 cents.
To be had at this office and from all newsdealers.

REMINGTON



STANDARD TYPEWRITER.
Gold Medal—Paris Exposition, 1889.
Wyckoff, Seamans & Benedict
327 BROADWAY, NEW YORK.

OUR MAGIC LANTERNS
WITH OIL LAMPS HAVE NO EQUAL
VIEWS OF ALL SUBJECTS
EASTERN PRICES GUARANTEED
L. MANASSE
88 MADISON ST. CHICAGO ILL.

2nd MACHINERY
N. Y. Mach'y Depot, Bridge Store 16. Frankfort St., N. Y.

IMPROVED LIME LIGHT
OIL & LAMPS
SETS OF MAGIC LANTERNS
VIEWS WITH
PRINTED LECTURES
J. B. COLT & CO.
16 BECKMAN ST. NEW YORK.

THE Scientific American

ESTABLISHED 1846.

The Most Popular Scientific Paper in the World.

Only \$3.00 a Year, including Postage. Weekly.
32 Numbers a Year.

This widely circulated and splendidly illustrated
paper is published weekly. Every number contains six-
teen pages of useful information and a large number of
original engravings of new inventions and discoveries,
representing Engineering Works, Steam Machinery,
New Inventions, Novelties in Mechanics, Manufactures,
Chemistry, Electricity, Teleggraphy, Photography, Archi-
tecture, Agriculture, Horticulture, Natural History, etc.
Complete List of Patents each week.

Terms of Subscription.—One copy of the SCIENTIFIC
AMERICAN will be sent for one year—42 numbers—
postage prepaid, to any subscriber in the United States
or Canada, on receipt of three dollars from the pub-
lishers; six months, \$1.50; three months, \$1.00.

Clubs.—Special rates for several names, and to Post
Masters. Write for particulars.

The safest way to remit is by Postal Order. Draft, or
Express Money Order. Money carefully placed inside
of envelopes, securely sealed, and correctly addressed,
seldom goes astray, but is at the sender's risk. Ad-
dress all letters and make all orders, drafts, etc., pay-
able to

MUNN & CO.,
361 Broadway, New York.

THE Scientific American Supplement.

This is a separate and distinct publication from
THE SCIENTIFIC AMERICAN, but is uniform therewith
in size, every number containing sixteen large pages full
of engravings, many of which are taken from foreign
papers, and accompanied with translated descriptions.
THE SCIENTIFIC AMERICAN SUPPLEMENT is published
weekly, and includes a very wide range of contents. It
presents the most recent papers by eminent writers in
all the principal departments of Science and the
Useful Arts, embracing Biology, Geology, Mineralogy,
Natural History, Geography, Archaeology, Astronomy,
Chemistry, Electricity, Light, Heat, Mechanical Engi-
neering, Steam and Railway Engineering, Mining,
Ship Building, Marine Engineering, Photography,
Technology, Manufacturing Industries, Sanitary En-
gineering, Agriculture, Horticulture, Domestic Econo-
my, Biography, Medicine, etc. A vast amount of fresh
and valuable information obtainable in no other pub-
lication.

The most important Engineering Works, Mechanisms,
and Manufactures at home and abroad are illustrated
and described in the SUPPLEMENT.

Price for the SUPPLEMENT for the United States and
Canada, \$5.00 a year, or one copy of the SCIENTIFIC AM-
ERICAN and one copy of the SUPPLEMENT, both mailed
for one year for \$1.00. Single copies 10 cents. Address
and remit by postal order, express money order, or check,
MUNN & Co., 361 Broadway, N. Y.,
Publishers SCIENTIFIC AMERICAN.

Building Edition.

THE SCIENTIFIC AMERICAN ARCHITECTS' AND
BUILDERS' EDITION is issued monthly. \$2.50 a year.
Single copies, 25 cents. Forty large quarto pages, equal
to about two hundred ordinary book pages; forming a
large and splendid Magazine of Architecture, richly
adorned with elegant plates in colors, and with other
fine engravings; illustrating the most interesting ex-
amples of modern Architectural Construction and
allied subjects.

A special feature is the presentation in each number
of a variety of the latest and best plans for private res-
idences, city and country, including those of very mod-
erate cost as well as the more expensive. Drawings in
perspective and in color are given, together with full
Plans, Specifications, Sheets of Details, Estimates, etc.

The elegance and cheapness of this magnificent work
have won for it the largest circulation of any
Architectural publication in the world. Sold by all
newsdealers. \$2.50 a year. Remit to

MUNN & CO., Publishers,
361 Broadway, New York.

TOOL AGENTS WANTED
in every SHOP in the United States.
Send for Catalogue. Stationery Co.
THE FINEST OF MECHANICAL TOOLS A SPECIALTY.
C. E. JAMES, 98 LAKE ST. CHICAGO.

STEEL TYPE for TYPEWRITERS,
Stencils, Steel Stamps, Rubber
and Metal Type Wheels.
New York Stencil Works, Mfrs.
100 Nassau Street, New York.

PATENTS!

MESSRS. MUNN & CO., in connection with the publi-
cation of the SCIENTIFIC AMERICAN, continue to ex-
amine improvements, and to act as Solicitors of Patents
for Inventors.

In this line of business they have had forty-one years'
experience, and now have unequalled facilities for the
preparation of Patent Drawings, Specifications, and the
prosecution of Applications for Patents in the United
States, Canada, and foreign Countries. Messrs. Munn &
Co. also attend to the preparation of Caveats, Copyrights
for Books, Labels, Reissues, Assignments, and Reports
on Infringements of Patents. All business entrusted to
them is done with special care and promptness, on very
reasonable terms.

A pamphlet sent free of charge, on application, con-
taining full information about Patents and how to pro-
cure them; directions concerning Labels, Copyrights,
Designs, Patents, Appeals, Reissues, Infringements, As-
signments, Related Cases. Hints on the Sale of Pa-
tents, etc.

We also send, free of charge, a Synopsis of Foreign Pa-
tent Laws, showing the cost and method of securing
patents in all the principal countries of the world.

MUNN & CO., Solicitors of Patents,
361 Broadway, New York.
BRANCH OFFICES.—No. 221 and 223 F Street, Wa-
shington, D. C.

Founded by Mathew Carey, 1785.

HENRY CAREY BAIRD & CO.
Industrial Publishers, Booksellers, and Importers,
810 Walnut St., Philadelphia, Pa., U. S. A.
Our new and Revised Catalogue of Practical and Scientific Books, 84 pages, 8vo., and our other Catalogues and Circulars, the whole covering every branch of Science applied to the Arts, sent free and free of postage to any one in any part of the world who will furnish his address.

Established by EDWARD L. YOUNG.

The Popular Science Monthly.

Edited by WM. J. YOUNG.

SCIENCE is rapidly coming to be the controlling force in every field of human activity.

It has developed the clumsy dug-out into the swift ocean steamer, and the slow-going cart into the flying railway-train.

Without it the industrial worker was a hopeless drudge; the growth of its applications has multiplied his comforts and increased his leisure.

Without it the race was powerless in the presence of disease; with its help epidemics are disappearing, and better health with longer life are secured.

Without it education was an unvarying routine of mechanical repetitions; upon it has arisen an art adapted to the needs of individual minds and to the conditions of modern life.

Similarly, in every department of human activity it is the great agency of improvement. In its steady progress it touches everywhere and affects everybody. It gives law to the material interests of the community, and powerfully influences the ideas, opinions, and beliefs of men, so that all have an interest in being informed of its advancement.

THE POPULAR SCIENCE MONTHLY is devoted to supplying this knowledge in a form that can be easily understood, and for nearly twenty years has maintained a leading position among scientific journals.


With other illustrations, each number contains a finely engraved PORTRAIT of some eminent man of science, with a BIOGRAPHICAL SKETCH.

The managers of THE POPULAR SCIENCE MONTHLY accept the steadily growing circulation of the magazine, and the large influence it has gained among the thoughtful and liberal-minded readers in America, as the highest testimonial of approval of its past course. Increasing attention will be given to the discussion of economic subjects and other leading scientific questions of the day. During the coming year the magazine will contain a series of papers from distinguished specialists on the agency of science in the growth of the leading industries of the world since the discovery of America by Columbus.

NEW YORK. D. APPLETON & COMPANY, 1, 3, and 5 BOND STREET.

Single Number, 50 cents. Yearly Subscription, \$5.00.

After Being on the Market Four Years
The "ACME" Still Leads.
Sizes One, Two, Three, and Four Horse Power. Arranged for either NATURAL GAS or Kerosene Oil fire, as ordered. No extra insurance required on account of the oil fire. Send for catalogue giving full particulars and prices.
Rochester Machine Tool Works, Rochester, N. Y.



THE KODAK


Embodies the only system of continuous film photography. World-wide success.

"You press the button. We do the rest."

Or you can do it yourself.

THE EASTMAN DRY PLATE AND FILM CO.
Price \$25, loaded for 100 pictures. Reloading \$2.
Send for Kodak Primer, free. ROCHESTER, N. Y.

150 Double-Page Illustrations.



100 Double-Page Maps.

A GIFT FOR EACH MEMBER OF THE FAMILY.


THE INTERNATIONAL CYCLOPEDIA

Is a complete, comprehensive, ready-reference cyclopedia, published four years ago at the lowest cost consistent with good paper, good type, good binding, and good editing, and is better to-day because of careful revision.

No other cyclopedia approaching it in size—15 volumes, with 50,000 titles—is sold at so low a price; and no other so generally contains the latest information and statistics. Yet its cost is moderate, and terms of payment easy—if you wish. Delivered free of expense. Correspondence solicited.

Salesmen wanted. Address, SUBSCRIPTION DEPARTMENT,
DODD, MEAD & COMPANY, Publishers, 753 & 755 Broadway, New York.

The CHANDLER WATER MOTOR
Works well on Low and High Pressures.
Single, Duplex, Triple, and Quadruple Automatic PISTON MOTORS, adapted to all classes of work.
Send for Circulars.
Howard Bros., Buffalo, N. Y.



QUARTZ FIBERS, BY C. V. BOYS, F.R.S.
A description of the author's experiments in the production of microscopical fibers from quartz. With 9 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 717. Price 10 cents. To be had at this office and from all newsdealers.

CLARK'S ALL IRON TRUCK WHEELS AND CASTERS.
Noiseless Rubber-Tired Truck Wheels AND CASTERS.
that save all wearing of floors.
Also, COMPLETE TRUCKS. Catalogue free.
GEO. P. CLARK,
Box 14, Windsor Locks, Conn.



PRODUCTION OF AMMONIA FROM COAL.—A paper by Ludwig Mond, giving an account of the work that has been done by his company in the curing new and abundant supplies of ammonia cheaply. With 3 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 717. Price 10 cents. To be had at this office and from all newsdealers.

VIOLIN OUTFITS!
Consisting of Violin, Box, Bow, and Teacher, sent to any part of the United States on 1 to 3 days' trial before buying.
Violin Outfits
at \$4, \$8, \$15, and \$25 each. Send 4-cent stamp for beautiful illustrated 56-page catalogue of Violins, Guitars, Banjos, Cornets, Flutes, Strings, etc. Lowest prices. Mail orders a specialty.
C. W. STORY, 26 Central St., Boston, Mass.
Mention the Scientific American in your letter when you write.



WHITALL'S PLANISPHERES name and locate all Stars, Constellations, Planets visible any minute. Heliotaxis, Lunataxis, Telescopes, etc. WM. T. COOPER, Manager, P. O. Box 68, Woodbury, N. J.

QUEEN & CO. MANUFACTURERS AND IMPORTERS
924 CHESTNUT ST. PHILADELPHIA, PENNA.
MAGIC LANTERNS SCIOPTICONS STEREOPTICONS
FIRST CLASS
PROJECTING APPARATUS FOR SCHOOLS COLLEGES AND PUBLIC ENTERTAINMENTS COPY



NOTES ON EXPLOSIVES.—A VALUABLE and interesting paper by C. Napier Hake, treating of the technology of explosives of all kinds. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 718. Price 10 cents. To be had at this office and from all newsdealers.

NOW READY.

Experimental Science,

—BY—

GEO. M. HOPKINS.

740 Pages. 680 Illustrations.

PRICE, by mail, postpaid, . . . \$4.00.

MUNN & CO., Publishers,
Office of The Scientific American,
361 Broadway, New York.

This book treats of the various topics of Physics in a popular and practical way.

It describes the apparatus in detail, and explains the experiments in full, so that teachers, students, and others interested in physics may personally make the apparatus and perform the experiments without difficulty.

It is a book full of interest and value for teachers, students, and others who desire to impart or obtain a practical knowledge of physics.

HEADS OF THE CHAPTERS.

I. Properties of Bodies. II. Rest, Motion, and Force. III. The Gyroscope. IV. Falling Bodies, Inclined Plane, The Pendulum. V. Molecular Actions. VI. Liquids. VII. Gases. VIII. Sound. IX. Experiments with the Scientific Top. X. Heat. XI. Light. XII. Polarized Light. XIII. Microscopy. XIV. The Telescope. XV. Photography. XVI. Magnetism. XVII. Frictional Electricity. XVIII. Dynamic Electricity. XIX. Electric Lighting. XX. Induction by Electric Currents. XXI. Telephone, Microphone, and Electrical Music. XXII. Lantern-Projection. XXIII. Mechanical Operations.

Each chapter is full and complete. Under the head of Sound, an extended description of the new Phonograph is given, with directions for construction. The chapter on Polarized Light is superbly illustrated and contains many simple experiments explanatory of this difficult subject. The chapter on Photography is a manual of the art. Electricity in all branches is fully treated. The performance of the experiments in the chapter on Dynamic Electricity will give the reader a practical knowledge of electricity in its modern applications. The part devoted to Electric Lighting gives a clear understanding of all the principal systems. The chapter on Projection contains a large number of new experiments. The book closes with a chapter on Mechanical Operations, containing information of great value to the experimenter. Each experiment described has been submitted to a practical test.

Send for Free Illustrated Circular and Table of Contents.

MUNN & CO., Publishers,
361 Broadway, New York.

WORKING MODELS & LIGHT MACHINERY. INVENTIONS DEVELOPED. Send for Model Circular. Jones Bros. E. Co., Cincinnati, O.

Perforated Electric Belting
—FOR—
SWIFT RUNNING MACHINERY.
Write for Descriptive Catalogue to
CHAS. A. SCHIEREN & CO.
45-51 FERRY ST., NEW YORK.

MUNSON'S PORTABLE MILLS, AND MILL FURNISHINGS, MANUFACTURED BY MUNSON BROTHERS, UTICA, N. Y., U. S. A.



THE PHONOGRAPH.—A DETAILED description of the new and improved form of the phonograph just brought out by Edison. With 8 engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 632. Price 10 cents. To be had at this office and from all newsdealers.

PILE DRIVING MACHINERY! Send for 1890 catalogue. Vulcan Iron Works, 80 N. Clinton St., Chicago.

EVERY USER OF MACHINERY SHOULD LEARN
How to Use Loose Pulleys.
Useful information on this subject is given in our "Catalogue No. 55." Sent free to any address.
VAN DUZEN & TIFT, Cincinnati, O.



PERFECT NEWSPAPER FILE
The Koch Patent File, for preserving newspapers, Magazines, and pamphlets, has been recently improved and price reduced. Subscribers to the SCIENTIFIC AMERICAN and SCIENTIFIC AMERICAN SUPPLEMENT can be supplied for the low price of \$1.50 by mail, or \$1.25 at the office of this paper. Heavy board files, inscribed "SCIENTIFIC AMERICAN," in gift. Necessary for every one who wishes to preserve the paper. Address
MUNN & CO., Publishers SCIENTIFIC AMERICAN.

DEAFNESS & HEAD NOISES CURED by Peck's INVISIBLE TUBULAR EAR CUSHIONS. Whispers heard. Comfortable. Successful where all Remedies FAIL. Ills. book & proof free. Address F. H. BROWN, 555 Broadway, New York.

The Tourist Route between Chicago and Florida is the Monon Route via Louisville and Chattanooga. For particulars, address James Barker, G. P. A., Chicago.

STEEL ALPHABETS.
Brands, Seals, Steel STEEL NAME STAMPS, Steel Cutting Dies, Soap Moulds, Brass Stamps, etc.
J. M. STUTZMAN, 181 William St., N. Y.

A NEW CATALOGUE OF VALUABLE PAPERS
Contained in SCIENTIFIC AMERICAN SUPPLEMENT, sent free of charge to any address.
MUNN & CO., 361 Broadway, New York.

THE PENNA. DIAMOND DRILL & MFG. CO.
HARDSBORO, PA., Builders of High Class Steam Engines, Diamond Drilling and General Machinery. Flour Mill Rolls Ground and Grooved.

BARREL, KEG, Hogshead, AND STAVE MACHINERY.
Over 50 varieties manufactured by
Truss Hoop Driving. **E. & B. Holmes,**
BUFFALO, N. Y.



TO BUSINESS MEN

The value of the SCIENTIFIC AMERICAN as an advertising medium cannot be overestimated. Its circulation is many times greater than that of any similar journal now published. It goes into all the States and Territories, and is read in all the principal libraries and reading rooms of the world. A business man wants something more than to see his advertisement in a printed newspaper. He wants circulation. This he has when he advertises in the SCIENTIFIC AMERICAN. And do not let the advertising agent influence you to substitute some other paper for the SCIENTIFIC AMERICAN, when selecting a list of publications in which you decide it is for your interest to advertise. This is frequently done, for the reason that the agent gets a larger commission from the papers having a small circulation than is allowed on the SCIENTIFIC AMERICAN.

For rates see top of first column of this page, or address
MUNN & CO., Publishers,
361 Broadway, New York.


THE FRED'K CRANE CHEMICAL CO.
SHORT HILLS, N. J. - BOX 91A -
ZAPINS, BRUSH & DIF. LAQUERS, VARNISH, SHELLAC, BRILLIANT & DEAD, JAPANS, AIR DRYING ENAMELS, TRANSPARENT FOR METAL AND WOOD, PROOF ADAPTS, ACIDS AND ALKALIES.
—WRITE FOR CATALOGUE—

PULLEYS, HANGERS, FRICTION CLUTCHES. 44 Park Place, N. Y.

CELEBRATED SUTTON RING PACKING

MAGIC LANTERNS
and STEREOPTICONS for Public Exhibitions and for Home Amusement. Views illustrating every subject. A very profitable business for a man with small capital. Best apparatus, new views, largest stock. 26 years practical experience. 170-p. catalogue free.
GEO. H. PIERCE, 140 S. 11th St., Philadelphia, Pa.

COMPLETE STEAM PUMP ONLY SEVEN DOLLARS
DEMAND THIS PUMP OF YOUR OR WRITE TO US FOR PRICES
VANDUZEN & TIFT.
SOLE MAKERS CINCINNATI, O.



Bed Clothes Fastener for Children and Invalids. Most satisfactory and inexpensive ever brought before the public. Never fails to keep the most restless securely covered, without unpleasant restrictions or damage to bed clothes. Patented May 21, 1888. Mrs. E. J. WATERS, 333 Quincy Avenue, Scranton, Pa.

BARNES' PAT. FOOT POWER MACHINERY.
I feel so highly pleased with your Velocipede Foot Power with seat, that I wish to add my testimony to its superiority. I did not expect to like it, but having used the else, it so greatly lessens the fatigue of using foot power, in fact, it may be said to be almost without fatigue, and is a steadier motion. I only wish I had known of it sooner. Send for catalogue.
W. F. & J. BARNES CO., 399 Ruby St., Rockford, Ill.



PULLEYS. Cheapest, Lightest, and Best. Made by
Standard Silverware Co., Boston, Mass.

\$75 PER MONTH SALARY
and expenses paid, any active man or woman to sell a line of Silver Plated Ware, Watches and Jewellery by sample only; can live at home. We furnish Team Free. Full particulars and sample case Free. We mean just what we say, and do exactly as we agree. Address at once,
Standard Silverware Co., Boston, Mass.



Proposals for Wharf-Building.—U. S. ENGINEER OFFICE, 2136 Pennsylvania Avenue, N. W., Washington, D. C., November 26, 1889.—Sealed proposals, in triplicate, for the construction of a Wharf-Building at Fort Monroe, Virginia, will be received at this office until 12 m., on Wednesday, December 12, 1889. The right is reserved to reject any and all proposals. The attention of bidders is invited to the acts of Congress approved February 26, 1885, and February 23, 1887, Vol. 23, p. 332, and Vol. 24, p. 414, Statutes at Large. Specifications and all necessary information will be furnished on application. **PETER C. HAINS, Lieut.-Colonel of Engineers.**

To Iron Manufacturers.—OFFICE OF THE LIGHT-HOUSE ENGINEER, Third District, Tompkinsville, N. Y., December 3, 1889.—Sealed proposals will be received at this office until 12 o'clock noon, of Monday, the twenty-third day of December, 1889, for furnishing the materials and labor of all kinds necessary for the completion and delivery on the site of the metal work of the Coney Island Light-House, New York. Plans, specifications, forms of proposal, and other information may be obtained on application to this office. The right is reserved to reject any or all bids, and to waive any defects.
D. P. HEAP, Major of Engineers, U.S.A., L. H. Engineer, Third District.

Proposals for Dredging.—U. S. ENGINEER OFFICE, 2136 Pennsylvania Avenue, N. W., Washington, D. C., December 4, 1889.—Sealed proposals, in triplicate, for Dredging in the Virginia Channel of the Potomac River at Washington, D. C., will be received at this office until 12 m., on Monday, December 30, 1889. The attention of bidders is invited to the Acts of Congress approved February 26, 1885, and February 23, 1887, Vol. 23, p. 332, and Vol. 24, p. 414, Statutes at Large. For specifications, forms of bids, and other information, apply at this office.
PETER C. HAINS, Lieut.-Colonel of Engineers.

WANTED.—A Novelty suitable for Lady Agents to handle; will manufacture on Royalty or buy the goods; must bear large profit; have 200 Lady Agents selling our own goods. Address E. H. CAMPBELL, 484 Randolph Street, Chicago.

THE PATENTS of all Countries on a CARROUSEL, (the only one of its kind) are for sale, or to be disposed of by way of license. For particulars apply to **INGENIEUR N. REIF, Worthstrasse 25, Hanover (Germany).**

FOR SALE.—State Rights, other than New York, New Jersey, Rhode Island, and Conn., of Gaume's Patent Motor for operating cradles and other swining devices. Apply to **A. Bonner, 77 George St., Brooklyn, N. Y.**

The Scientific American PUBLICATIONS FOR 1890.

The prices of the different publications in the United States, Canada, and Mexico are as follows:

RATES BY MAIL.	
The Scientific American (weekly), one year	\$3.00
The Scientific American Supplement (weekly), one year	5.00
The Scientific American, Export Edition (monthly) one year	5.00
The Scientific American, Architects and Builders Edition (monthly), one year	2.50
COMBINED RATES.	
The Scientific American and Supplement	\$7.00
The Scientific American and Architects and Builders Edition	5.00
The Scientific American, Supplement, and Architects and Builders Edition	9.00

Proportionate Rates for Six Months.
This includes postage, which we pay. Remit by postal or express money order, or draft to order of
MUNN & CO., 361 Broadway, New York.

Advertisements.

Inside Page, each insertion - - - 75 cents a line.
Back Page, each insertion - - - \$1.00 a line.
The above are charges per square line—about eight words per line. This notice shows the width of the line, and is set in square type. Engravings may be advertised at the same rate per square line, by measurement, as the letter press. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.



Patent Riveted Monarch Rubber Belting.
BEST IN THE WORLD.
THE QUTTA PERCHA AND RUBBER MFG. CO.
35 Warren Street, New York.
Chicago, San Francisco, Boston, Mass.

THE NEW YORK LEDGER

"THE WHOLESOME EDUCATOR OF MILLIONS."



THE LEADING
WRITERS.

CELEBRATED
ARTISTS.

SPECIAL FEATURES.

\$2

A YEAR

**SIXTEEN PAGES
EVERY WEEK**

Herbert Ward, Stanley's Companion.

Herbert Ward, the companion of Stanley in his explorations in Africa, is the only white man connected with Stanley's African explorations who has ever returned alive from the "Dark Continent." Mr. Ward's articles running through eight numbers of the "Ledger" are of the most intensely interesting description, and cover five years of his adventures in Africa, and they will be illustrated by sketches made by Mr. Ward, and by the reproduction of photographs taken by him in Africa. These pictures will throw much light upon the manners and customs of the hitherto unknown cannibal tribes of Africa.

The Story of a Forsaken Inn, (A SERIAL STORY) By Anna Katharine Green.

Life in British America, By Rev. E. R. Young.

Being the adventures and experiences of Rev. E. R. Young, the celebrated missionary, and his wife during their residence in the Polar region twelve hundred miles north of St. Paul, in which Dr. Young narrates how he tamed and taught the native wild Indians of the Northwest; how he equipped himself for and how he made his perilous sledging and hazardous canoe trips when visiting all the Indian settlements within five hundred miles of his home.

Honorable Henry W. Grady

Contributes a series of six articles on the "Wonderful Development of the Industrial Pursuits of the New South."

American Cookery, (A SERIES OF ARTICLES) By Miss Parlow.

Giving the reasons why it is imperfect, and some ways by which it may be improved.

Nihilism in Russia, By Leo Hartmann, Nihilist.

Leo Hartmann, a fugitive from Russian authorities, has been connected with the most daring feats of the Russian Nihilists. Mr. Hartmann shows how the intelligent people of Russia are becoming Nihilists in consequence of the despotism of the form of government. A participant in plots to kill the Czar, such as the blowing up of the Winter Palace, he is able to give true information as to how this and other great schemes were accomplished. The situation in Russia is sufficient to increase the love of every true American for our form of government.

EXTRA SOUVENIR SUPPLEMENTS.

Among these beautifully illustrated four-page souvenirs, which will be sent free to every subscriber, will be a poem by

John Greenleaf Whittier, Illustrated by Howard Pyle.

Written for the "Ledger" by Mr. Whittier in his 82nd year. Another souvenir will be a beautifully illustrated poem written by

Honorable James Russell Lowell.

The Ledger will contain the best Serial and Short Stories, Historical and Biographical Sketches, Travels, Wit and Humor, and everything interesting to the Household.

Other Contributors for 1890 are:

Mrs. Frances Hodgson Burnett.
Mrs. Margaret Deland.
Mrs. Florence Howe Hall.
Mrs. Madeleine Vinton Dahlgren.
Mrs. Harriet Prescott Spofford.
Mrs. Emma Alice Brown.
Mary Kyle Dallas.
Marion Harland.
Clara Whitridge.
Judge Albion W. Tourgee.
Marquise Lanza.

Robert Louis Stevenson.
Anna Shields.
Josephine Pollard.
Amy Randolph.
Frank H. Converse.
C. F. Holder.
Dr. Felix L. Oswald.
Rev. Emory J. Haynes.
Julian Hawthorne.
Prof. W. C. Kitchin.
Robert Grant.

M. W. Hazeltine.
Thomas Dunn English.
George F. Parsons.
Col. Thomas W. Knox.
Rev. Dr. John R. Paxton.
Rev. Dr. James McCosh.
Prof. S. M. Stevens.
Prof. J. H. Comstock.
James Parton.
Rev. Dr. H. M. Field.
Harold Frederic.

Subscription money can be sent at our risk by Post Office Money Order, Bank Check or Draft, or an Express Money Order.

Send Six Cents for Sample Copy and Illustrated Calendar Announcement.

Address: **ROBERT BONNER'S SONS, 195 William Street, New York City.**

Wheeling is Better than Walking.

Victor Bicycles
Are Better than Any Others.
Catalogue Free.
Overman Wheel Co., Makers,
BOSTON, MASS.

SAWS Wanted 50,000 Sawyers and Lumbermen to send us their full address for a copy of Emerson's Book of SAWS. We are first to introduce NATURAL GAS for heating and tempering saws with wonderful effect upon improving their quality and toughness, enabling us to reduce prices. Address **EMERSON, SMITH & CO. (LTD.),** Beaver Falls, Pa.

POP SAFETY VALVE
WATER RELIEF VALVE
IMPROVED STEAM GAGE
STEAM ENGINE INDICATOR
Single Bell Chime Whistle, and all instruments used in connection with Steam, Air and Water.
Sole Agents for Clark's Locomotive Fire Hose.
NEW YORK: **CROSBY STEAM GAGE & VALVE CO.** 92 Oliver St.
BOSTON, MASS.

THE ONLY PRACTICAL
LOW-PRICED
TYPEWRITER
Catalogue free. Address Typewriter Department, **POPE MFG. CO.,** Makers of Columbia Cycles, Boston, New York, Chicago.

JENKINS STANDARD PACKING
TRADE MARK



NATIONAL FILTER.
Special Size to Filter Entire Supply of Water for House.
GUARANTEED TO PRODUCE
BRIGHT SPARKLING WATER
If Filter is Cleaned Once Each Day. Can be Cleaned in 10 Minutes.
LARGE SIZES FOR MILLS AND WATER WORKS.
NATIONAL WATER PURIFYING CO.,
Address for Pamphlet. 145 Broadway or 56 Liberty St., New York.

STEAM ENGINES
Upright and Horizontal,
Stationary,
Portable and Semi-Portable.
5 to 16 Horse Power.
Illustrated Pamphlet Free. Address **JAMES LEFFEL & CO.** SPRINGFIELD, OHIO, or 110 Liberty St., New York.

THE ORIGINAL UNVULCANIZED PACKING
CALLED THE STANDARD—As it is the Packing by which all others are compared.
Accept no packing as **JENKINS PACKING** unless stamped with our "Trade Mark."
JENKINS BROS. 71 John Street, N. Y., 105 Milk Street, Boston, 21 North 5th St., Phila., 64 Dearborn St., Chicago.

SYRACUSE MALLEABLE IRON WORKS

The Largest Passenger and Freight Elevator Works in the World

OTIS

Otis Brothers & Co., 381 Park Row, New York



COMPTOMETER

ALL ARITHMETICAL PROBLEMS

Solved rapidly and accurately by using the Comptometer. Saves 40 per cent. of time. Entirely free from mental strain. Adapted to all commercial and scientific computations. Send for circular.

FELT & TARRANT MFG. CO., 52-56 Illinois St., Chicago.

WORKING MODELS and Experimental Machinery, metal or wood, made to order by **MASON & RAUCH**, successors to J. F. Werner, 62 Centre Street, New York.




THE STANDARD
H.W. JOHNS ASBESTOS BOILER COVERINGS
H.W. JOHNS MFG. CO.
87 MAIDEN LANE, NEW YORK.
CHICAGO, PHILADELPHIA, LONDON.
PATENTED

ESTABLISHED HALF A CENTURY.

MARVIN'S FIRE & BURGLAR SAFES

HAVE MANY PATENTED IMPROVEMENTS NOT FOUND IN OTHER MAKES THAT WILL WELL REPAY AN INVESTIGATION BY THOSE WHO DESIRE TO SECURE THE BEST SAFE
MARVIN SAFE CO.
NEW YORK, PHILADELPHIA, LONDON, ENGLAND.



CASTINGS SOFT IN STRONG ADHESIVE FINISHED FULLEYS-SEARING PATTERN. RIVER, ALLENTOWN FOUNDRY & MACHINE CO. 3rd & WALNUT ST. ALLENTOWN, PA.

THE AMERICAN BELL TELEPHONE CO.

95 MILK ST., BOSTON, MASS.

This Company owns the Letters Patent granted to Alexander Graham Bell, March 7th, 1876, No. 174,465, and January 30th, 1877, No. 186,787.

The transmission of Speech by all known forms of Electric Speaking Telephones in fringes the right secured to this Company by the above patents, and renders each individual user of telephones not furnished by it or its licensees responsible for such unlawful use and all the consequences thereof, and liable to suit therefor.

MALLEABLE AND FINE GRAY IRON ALSO STEEL CASTINGS FROM SPECIAL PATTERN. **THOMAS DEVLIN & CO.** FINISHING, LEHIGH AVE. & AMERICAN ST. PHILA.

PRINTING INKS
THE "Scientific American" is printed with CHA. KNEU JOHNSON & CO.'S INK. Tenth and Lombard Sts., Phila., and 47 Rose St., opp. Duane St., N. Y.